



Prepared in cooperation with the Afghanistan Geological Survey under the auspices of the U.S. Agency for International Development

Preliminary Non-Fuel Mineral Resource Assessment of Afghanistan

By Stephen G. Peters, Stephen D. Ludington, Greta J. Orris, David M. Sutphin, James D. Bliss, and James J. Rytuba, eds., and the U.S. Geological Survey-Afghanistan Ministry of Mines Joint Mineral Resource Assessment Team*

USGS Open-File Report 2007–1214
Afghanistan Geological Survey Open-File Report 2007-1214
USGS Afghanistan Project Product No. 157

*Stephen G. Peters¹ (Team Leader), Stephen D. Ludington², Greta J. Orris³, David M. Sutphin¹, James D. Bliss³, James J. Rytuba², Jared Abraham⁴, Robert G. Bohannon⁴, Karen Sue Bolm³, Jeff L. Doebrich¹, Robert G. Eppinger⁴, Carol A. Finn⁴, Bernard E. Hubbard¹, Bruce R. Lipin¹, Walter J. Bawiec¹, Keith R. Long³, John C. Mars¹, Lawrence W. Snee⁴, Douglas B. Stoeser⁴, Cliff D. Taylor⁴,

¹ U.S. Geological Survey, Reston, VA; ²U.S. Geological Survey, Menlo Park, CA; ³U.S. Geological Survey, Tucson, AZ; ⁴U.S. Geological Survey, Denver CO; ⁵Afghanistan Geological Survey, Kabul, Afghanistan

U.S. Department of the Interior
DIRK KEMPTHORNE, Secretary

U.S. Geological Survey
Mark D. Myers, Director

U.S. Geological Survey, Reston, Virginia: 2007

For product and ordering information:
World Wide Web: <http://www.usgs.gov/pubprod>
Telephone: 1-888-ASK-USGS

For more information on the USGS—the Federal source for science about the Earth,
its natural and living resources, natural hazards, and the environment:
World Wide Web: <http://www.usgs.gov>
Telephone: 1-888-ASK-USGS

Suggested citation:
Peters, S.G., Ludington, S.D., Orris, G.J., Sutphin, D.M., and Bliss, J.D., eds., 2007, Preliminary Non-Fuel
Mineral Resource Assessment of Afghanistan: U.S. Geological Survey Open-File Report 2007-1214

Any use of trade, product, or firm names is for descriptive purposes only and does not imply
endorsement by the U.S. Government.

Although this report is in the public domain, permission must be secured from the individual
copyright owners to reproduce any copyrighted material contained within this report.

Contents

Summary	xxviii
1.0 Introduction	1
1.1 Background	1
1.2 Past Development.....	2
1.3 Assessment Methods	3
1.4 Geologic History.....	11
1.5 Metallogeny	13
1.6 Acknowledgements.....	17
2.0 Deposits related to mafic igneous rocks.....	21
2.1 Podiform Chromite.....	21
2.1.1 Chromite Mineral Occurrences	21
2.1.2 Description of Podiform Chromite Deposit Models.....	21
Previous Investigations	22
Logar Province	23
2.1.3 Description of Mineral-Resource Tracts and Areas of Interest	25
Tract ID: umf01A—Eocene Ultramafic Rocks of Logar Valley	25
Parwan province	32
Tract ID: umf01B—Eocene Ultramafic Rocks Near Khost.....	37
Area ID: umf01C—Eocene Ultramafic Rocks of Paktia, Province, North of Khost, Area of Interest ..	43
Area ID: umf01D—Ghazni to Kandahar Valley Area of Interest.....	44
Additional Areas of Interest of Ultramafic-Hosted Mineral Deposits.....	46
Area ID: umf02—Proterozoic Ultramafic Rock Area of Interest	46
Area ID: umf03—Paleozoic Ultramafic Rocks Area of Interest	47
Area ID: umf04—Mesozoic Ultramafic Rocks Area of Interest	48
2.2 Ultramafic-Hosted Talc-Magnesite.....	52
2.2.1 Talc-Magnesite Deposit Models	52
Tract ID: umf01A—Eocene Age Ultramafic Rocks of Logar Valley	57
Tract ID: umf01B—Eocene Age Mafic and Ultramafic Rocks of the Khost Area	61
2.3 Serpentine-Hosted Asbestos	66
Health concerns.....	66
2.3.1 Serpentine-Hosted Asbestos Deposit Models	67
Mineral Resource Tracts and Areas of Interest	73
Tract ID: umf01A—Eocene Age Ultramafic Rocks of Logar Valley	73
Tract ID: umf01B—Eocene Age Mafic and Ultramafic Rocks of the Khost Area	78
2.3.2 Description of tracts for Older Serpentine-Hosted Asbestos and Ultramafic-Hosted Talc-Magnesite	82
Tract ID: mir01—Asbestos, magnesite, and talc in Proterozoic age mafic and ultramafic intrusive rocks	83
Tract ID: mir02—Asbestos, magnesite, and talc Mississippian (Lower Carboniferous) and Permian age mafic and ultramafic intrusive rocks.....	85

Tract ID: mir03—Asbestos, magnesite, and talc Mesozoic age mafic and ultramafic intrusive rocks.....	87
Tract ID: mir04—Asbestos, magnesite, and talc in Eocene age mafic and ultramafic intrusive rocks.....	89
Favorable tract mir04-f1	91
Prospective tract mir04-p1	91
Favorable tract mir04-f2	92
3.0 Deposits related to alkaline intrusions	95
3.1 Carbonatite (U-Th- REE-apatite)	95
3.1.1 Descriptive model of carbonatite (U-Th- REE-apatite)	95
3.2 Carbonatite (U-Th- REE-apatite) Tract Descriptions.....	96
Permissive tract cb01 Helmand basin	96
4.0 Deposits related to felsic phanerocrystalline intrusive rocks	106
4.1 Tin and tungsten deposits	106
4.1.1 Descriptive models for tin and tungsten deposits	107
4.1.2 Tract Descriptions	108
4.2 Sedimentary rock-hosted fluorite (fluorspar).....	118
4.2.1 Fluorite vein deposit model	118
4.2.2 Fluorite Tract Description.....	118
Permissive tract fluor01—Bakhud.....	118
4.3 Pegmatites	123
4.3.1 Description of pegmatite deposit models.....	123
4.3.2 Pegmatite Mineral-Resource Tract.....	127
5.0 Deposits related to felsic to intermediate porphyritic igneous rocks.....	129
5.1 Porphyry copper and associated deposits	129
5.1.1 Descriptive Models	130
5.1.2 Tract Descriptions	133
Chagai east tract (ppycu01)	135
Chagai west tract (ppycu02)	140
Spin Boldak tract (ppycu03).....	145
Saindak north tract (ppycu04)	150
Kundalyan-Zarkhashan tract (ppycu05)	155
Arghandab tract (ppycu06)	163
Katawaz tract (ppycu07).....	168
Feroz Koh tract (ppycu08).....	172
Farah Rod tract (ppycu09)	177
West Hindu Kush tract (ppycu10)	182
West Badakhshan tract (ppycu11)	187
Helmand tract (ppycu12)	188
5.2 Pluton-related gold deposits	194
5.2-1 Description of tracts for pluton-related gold deposits	195
Permissive tract—gold03 Kandahar-Zabul-Ghanzi gold	195

Favaorable tract gold03-f1	197
Prospective tract gold03-p1-Kundalyan-gold	197
Prospective tract gold03-p2	197
Favorable tract gold03-f2	201
Prospective tract gold03-p3 Bolo gold	201
Prospective tract gold03-p3 Dynamitic	201
6.0 Deposits related to felsic to intermediate extrusive rocks	208
6.1 Mercury deposits	208
6.1.1 Descriptive Models for Epithermal Deposits and Associated Models	216
6.2.1 Epithermal Deposit Tract Descriptions	219
Permissive Tract ephg01 Karnak-Kanja Hg	221
Prospective tract ephg01-p1 Zarmardan	222
Prospective tract ephg01-p2 Rode-Duzd	224
Prospective tract ephg01-p3 Durbas	224
Prospective tract ephg01-p4 Ghurma	224
Prospective tract ephg01-p5 Chashnak-Mushkan	224
Prospective tract ephg01-p6 Gariba	227
Prospective tract ephg01-p7 Kharnak-Kanjar	227
Prospective tract ephg01-p8 Darwaza-Surkh-Joi-Gardesh	233
Favorable tract ephg01-f2 Solghoi-Sewak	234
Permissive Tract ephg02 North Shaida mercury	238
Permissive Tract ephg03 Tilak mercury	240
Permissive Tract ephg04 Nayak mercury	242
Permissive Tract ephg05 Katawaz-mercury	244
6.2 Volcanogenic massive sulfide deposits	252
6.2.1 Volcanogenic massive sulfide deposit models	252
6.2.2 Volcanogenic massive sulfide deposit tract descriptions	254
Permissive Tract VMS-01 Late Triassic Balkhab-Gazoghel	256
Permissive Tract VMS-02 Late Jurassic-Early Cretaceous	261
Permissive Tract VMS-03 Eocene-Oligocene	266
Permissive Tract VMS-04 Precambrian	271
7.0 Deposits associated with sedimentary processes or rocks	274
7.1 Sediment-hosted copper	274
7.1.1 Description of sediment-hosted copper deposit models	274
7.1.2 Description of sediment-hosted copper assessment tracts	276
Permissive Tract sedcu01 Aynak area	278
Favorable tract sedcu01-f1	281
Propective tracts within tract sedcuf1	281
Prospective tract sedcu01-p1 Yagh-Darra-Ghuldarra	281
Prospective tract sedcu01-p2	281
Prospective tract sedcu01-p3 Aynak	283
Prospective tract sedcu01-p4 Kawkhar-Darband-Kuhundara	283
Favorable tract sedcu01-f2 Khaidarabad-Sultan Padshah	293

Permissive Tract—sedcu02 Kundalyan sedimentary copper	294
7.2 Sediment-hosted lead-zinc deposits	299
7.2.1 Descriptive Models for Sediment-hosted lead-zinc deposits and Associated Models	299
7.2.2 Sediment-hosted lead-zinc tract descriptions	308
Permissive tract pbzn01 Sediment-hosted Lead Zinc-Phanerozoic	308
Favorable tract pbzn01-f1 Nalbandon	311
Favorable tract pbzn01-f2 Gharghanawl-Gawmazar	313
Favorable tract pbzn01-f3 East Ghor	315
Geochemical anomalous areas in tract pbzn01	316
Permissive tract pbzn02 Sediment-hosted Lead Zinc-Cretaceous	320
Permissive tract pbzn03 Sediment-hosted lead-zinc Proterozoic	322
7.3 Clays	327
7.3.1 Brick and refractory clays	327
7.3.2 Porcelain	332
7.3.3 Adobe clay	332
7.4 Limestone	337
7.4.1 Descriptive deposit model	337
7.4.2 Limestone Tract Description	338
Permissive tract—lms01	338
8.0 Chemical-sedimentary deposits	344
8.1 Sedimentary rock-hosted Iron deposits	344
8.1.1 Description of sedimentary rock-hosted iron deposit models	344
8.1.2 Description of sedimentary rock-hosted iron tracts	348
Permissive tract sedFe-01 Haji Gak Neoproterozoic	349
Permissive tract sedFe-02 Paleoproterozoic	355
Permissive tract sedFe-03 Mesoproterozoic	361
8.2 Bedded Manganese	366
8.2.1 Description of Sedimentary Mn model	366
8.2.2 Description of sedimentary manganese tracts	366
Permissive tract—sedMn01	367
8.3 Evaporite Deposits	370
8.3A Potash	370
8.3A.1 Descriptive deposit model	370
8.3A.2 Mineral Resource Tracts	371
Permissive Tract AFK-01	371
8.3B Halite	378
8.3B.1 Descriptive deposit models	378
8.3B.2 Mineral Resource Tracts	379
8.4 Sedimentary phosphorite	383
8.4.1 Descriptions of phosphorite deposit models	383
8.4.2 Known sedimentary phosphorite occurrences	384
8.5 Celestite	386
8.5.1 Description of celestite deposit model	386
8.6 Barite (including bedded and vein barite)	393

8.6.1 Bedded Barite and deposit models	393
8.6.2 Description of barite deposits and occurrences	393
8.7 Native Sulfur	398
8.7.1 Descriptive deposit models for native sulfur	398
8.7.2 Description of Sulfur Occurrences and Deposits	400
8.7.3 Description of Sulfur Tracts.....	401
Permissive tract—sulf01	401
8.8 Gypsum	408
8.8.1 Descriptive gypsum deposit models	408
8.8.2 Gypsum tract description	408
Permissive tract—AFGy-01 (Preliminary)	408
8.9 Borates	413
8.9.1 Geology of Borate Deposits.....	413
Lacustrine borate permissive area.....	414
9.0 Deposits related to regionally metamorphosed rocks.....	420
9.1 Low-sulfide gold-quartz.....	420
9.1.1 Descriptions of low-sulfide gold-quartz vein deposit model	420
9.1.2 Description of low-sulfide gold-quartz vein tracts	421
Permissive tract—gold01 Badakhshan	423
Favorable tract gold01-f1	425
Prospective tract gold01-p1 Chilkorshar	425
Favorable tract gold01-f2	325
Prospective tract gold01-p2 Shengan	425
Favorable tract gold-f3	427
Prospective tract gold01-p3 Kadar-Neshebdu-Vekadur	427
Prospective tract gold01-p4 Furmorah-Nakhchir-Par	427
Favorable tract gold01-f4	429
Permissive tract—gold02 Pusida.....	429
Permissive tract—gold04 Archean	431
9.2 Natural Graphite	434
9.2.1 Description of Graphite Deposit Descriptive Models	435
9.2.2 Description of Graphite Assessment Tracts.....	437
Tract ID: dvg01—Natural graphite in Archean age high-grade metamorphic rocks	437
Tract ID: dvg02— Natural graphite in Middle Proterozoic to Cambrian age high-grade metamorphic rocks.....	444
Tract ID mcg01— Microcrystalline graphite in contact metamorphic rocks.....	446
9.3 Metasomatic and Metamorphic Talc and Magnesite	456
9.3.1 Talc and Magnesite Deposit Models	456
9.3.2 Permissive tract for metasomatic talc-magnesite	457
10.0 Deposits related to surficial processes and unconformities.	462
10.1 Bauxite.....	462
10.1.1 Description of Bauxite Deposit Models.....	462
10.1.2 Description of Bauxite Assessment Areas	466

Tract ID: bxt01—Laterite-type bauxite areas	467
Tract ID: bxt02—Karst-type bauxite areas	470
10.2 Placer gold deposits	473
10.2.1 Description of placer gold deposit model	473
10.2.2 Description of placer gold tracts	474
Permissive tract—pgold01 Takhar	476
Permissive tract—pgold02 Zarkashan	480
10.3 Preliminary assessment of sand and gravel resources of Afghanistan.....	484
10.3.1 Summary of methodology.....	484
Sand and gravel deposits types	487
Models used for assessment.....	487
Monte Carlo Simulation (MCS).....	491
Sand and gravel assessment limitations.....	493
10.3.2 Sand and Gravel Assessment by Basins in Afghanistan.....	494
11.0 Dimension Stone.....	677
11.1 Description of dimension stone deposit models.....	679
11.2 Description of dimension stone tracts.....	680
11.2.1 Granite	682
Tract ID: dms01 granite permissive tract	682
Tract ID: dms01-f1 Granite favorable tract.....	683
11.2.2 Limestone	685
Tract ID: dms02 limestone permissive tract.....	685
Tract ID: dms01-f1 limestone favorable tract	686
11.2.3 Marble.....	686
Tract ID: dms03 marble permissive tract.....	688
Tract ID: dms01-f1 marble favorable tract	691
11.2.4 Travertine	691
Tract ID: dms04 Travertine permissive tract	692
Tract ID: dms04-f1 Travertine favorable tract	694
11.2.5 Sandstone	698
Tract ID: dms05 sandstone permissive tract	698
Favorable tract dms05-f1 sandstone favorable tract	699
12.0 Precious and Semi-Precious Stones	703
12.1 Emeralds.....	703
12.1.1 Description of emerald veins model.....	703
12.1.2 Emerald tract description.....	704
Permissive tract (area of interest)—gem01	704
12.2 Ruby, sapphire, and spinel	706
12.3 Lazurite (lapis lazuli).....	708
12.4 Gems in pegmatites.....	711
12.4.1 Tourmaline	713
13.0 General References	720

Figures

Figure 1. Map of Afghanistan showing location of known mineral occurrence and 20 prioritized areas.	xxxiv
Figure 2. Map showing location and names of promising mineralized areas resulting for analysis of the preliminary assessment of non-fuel mineral resources in Afghanistan.	xxxv
Figure 1.0-1. Diagram showing how permissive rock covered by less than 1 km is included in permissive tracts. After Singer (1996)	4
Figure 1.0-2. Flow chart of the 3-part USGS Mineral Assessment Methodology.	7
Figure 1.0-3. Pictures of USGS-AGS Assessment Team, Denver Colorado, January, 2007.	9
Figure 1.0-4. Pictures of Assessment Team Meeting, Denver, Colorado	10
Figure 1.0-5. Map of Afghanistan showing major structural blocks, plutonic belts, and faults.	12
Figure 1.0-6. Legend of Mineral symbols used in this report.	20
Figure 2.1-1. Graph showing estimated tonnages of Afghan podiform chromite occurrences plotted on the major podiform chromite tonnage curve (after Singer and others, 1986).	22
Figure 2.1-2. Locations of known podiform chromite and other mineral occurrences in Logar Valley south of Kabul.	24
Figure 2.1-3. Maps showing locations of tracts, areas of interest, and ultramafic-related deposits in Afghanistan.	26
Figure 2.1-4. Map view and cross sections of one deposit in Logar Valley, Afghanistan (Volin, 1950).	28
Figure 2.1-5. Location of a known chromite deposit in the Logar Valley, Afghanistan (Volin, 1950).	28
Figure 2.1-6. Location of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	29
Figure 2.1-7. Map of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	29
Figure 2.1-8. Map of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	30
Figure 2.1-9. Location of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	30
Figure 2.1-10. Vertical cross section of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	31
Figure 2.1-11. Vertical cross sections and three dimensional view of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	31
Figure 2.1-12. Three dimensional representation of ore blocks in a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950).	32
Figure 2.1-13. Location of the Jurgati chromite occurrence, Parwan Province, Afghanistan	33
Figure 2.1-14. Cumulative distributions for chromite, platinum-group elements, and rocks for the probabilistic estimates of umf01A, the Eocene Ultramafic Rocks of Logar Valley permissive tract.	34
Figure 2.1-15. Histograms of estimated contained chromite, palladium, iridium, and mineralized rock for undiscovered podiform deposits for the probabilistic estimate for umf01A, the Eocene Ultramafic Rocks of Logar Valley permissive tract.	35
Figure 2.1-16. Location of the Sperkaw and Shodal chromite occurrences in tract umf01B and areas favorable and prospective for the occurrence of podiform chromite deposits in Paktia Province, Afghanistan.	39

Figure 2.1-17. Cumulative distributions for chromite, platinum-group elements, and rocks for the probabilistic estimates of tract umf01B, the Eocene Ultramafic Rocks near Khost permissive tract.	40
Figure 2.1-18. Histograms of estimated contained chromite, palladium, iridium, and mineralized rock for undiscovered podiform deposits for the probabilistic estimate for tract umf01B the Eocene Ultramafic Rocks near Khost permissive tract.	
Figure 2.1-19 Location of tract umf01C and favorable areas in Paktia Province, Afghanistan. No estimates of undiscovered ultramafic-related deposits were made.	44
Figure 2.1-20. Location of tract umf01D in southern Afghanistan.	45
Figure 2.1-21. Location of umf02, the Proterozoic Ultramafic Rock area of interest for ultramafic-hosted mineral deposits is based upon the occurrence of Proterozoic age mafic and ultramafic rocks ...	47
Figure 2.1-22. Area of interest umf03, the Paleozoic Ultramafic Rocks Area of Interest based on the presence of Paleozoic age ultramafic rocks.	48
Figure 2.1-23. Area of interest umf04 where Mesozoic age mafic and ultramafic rocks are permissive to host deposits that occur in those types of rocks.	49
Figure 2.2-1. Known talc-magnesite occurrences in Afghanistan and tracts and areas of interest permissive for their presence.	54
Figure 2.2-2. Locations of ultramafic-hosted talc-magnesite occurrences and ultramafic mineral resource tracts and areas of interest in southeast Afghanistan.	56
Figure 2.2-3. Location of talc-magnesite and other ultramafic-hosted occurrences in Logar Valley south of Kabul.	57
Figure 2.2-4. Output of Monte Carlo simulation for mineralized rock in undiscovered ultramafic talc deposits of Tract A, Afghanistan.	59
Figure 2.2-5. Output of Monte Carlo simulation for talc in undiscovered ultramafic talc deposits of Tract A, Afghanistan.	60
Figure 2.2-6. Output of Monte Carlo simulation for mineralized rock in undiscovered ultramafic talc deposits of Tract B, Afghanistan.	62
Figure 2.2-7. Output of Monte Carlo simulation for talc in undiscovered ultramafic talc deposits of Tract B, Afghanistan.	63
Figure 2.3-1. Locations of serpentine-hosted asbestos occurrences in Afghanistan with known ultramafic intrusions and ultramafic tracts and areas of interest.	68
Figure 2.3-2. Mineral resource tracts and areas of interest in Logar Valley and near Khost in eastern Afghanistan.	69
Figure 2.3-3. Serpentine-hosted asbestos occurrences of tract umf01A, the Eocene Ultramafic Rocks of Logar Valley permissive tract, with prospective and favorable areas.	70
Figure 2.3-4 Location of serpentine-hosted asbestos occurrences and favorable and prospective areas in tract umf01B, Khost and Paktia Provinces, Afghanistan.	72
Figure 2.3-5. Serpentine-hosted asbestos occurrences north of Kandahar and north of area of interest umf01D.	73
Figure 2.3-6. Histograms of estimated contained asbestos and mineralized rock for undiscovered serpentine-hosted asbestos deposits for the probabilistic estimate for the Eocene Ultramafic Rocks of Logar Valley permissive tract.	75
Figure 2.3-7. Cumulative distributions for asbestos and rocks for the probabilistic estimates of the tract umf01B, Eocene Ultramafic Rocks near Khost permissive tract.	76

Figure 2.3-8. Cumulative distributions for asbestos and mineralized rocks for the probabilistic estimates of the tract umf01B—Eocene Ultramafic Rocks near Khost permissive tract.....	79
Figure 2.3-9. Histograms of estimated contained asbestos and mineralized rock for undiscovered serpentine-hosted asbestos deposits for the probabilistic estimate for tract umf01B—Eocene Ultramafic Rocks near Khost permissive tract.	80
Figure 2.3-10. Locations of permissive tracts mir01-mir04 and favorable and prospective areas of interest for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	82
Figure 2.3-11. Locations of tract mir01 comprised of Proterozoic age mafic and ultramafic intrusive rocks permissive for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	84
Figure 2.3-12. Location of tract mir02 delineating Mississippian age mafic and ultramafic intrusive rocks permissive for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	86
Figure 2.3-13. Location of tract mir03 of Mesozoic mafic and ultramafic intrusive rocks determined to be permissive for undiscovered serpentine-hosted asbestos deposits in Afghanistan.....	88
Figure 2.3-14. Location of tract mir04 of Eocene age mafic and ultramafic intrusive rocks determined to be permissive, favorable, or prospective for undiscovered serpentine-hosted asbestos deposits in Afghanistan.....	90
Figure 2.3-15. Locations of tracts of Eocene age mafic and ultramafic intrusive rocks determined to be favorable, or prospective for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	91
Figure 3.0-1. Map showing Tract cb01 Helmand Basing and the eight possible areas where carbonatite centers might be present within the tract, based on aeromagnetic data from Sweeney and others (2006).	99
Figure 3.0-2. Map showing ranking of tracts in the carbonatite area of Khanneshin.....	100
Figure 3.0-3. Maps showing volcanic complex with the three Khanneshin carbonatite (U-Th- REE-apatite) mineral occurrences.....	101
Figure 3.0-4. Cumulative distributions of phosphorous, REE, niobium and rocks for the probabilistic estimate of the Khanneshin Carbonatite permissive tract cb01 Helmand Basin, Helmand Province.	102
Figure 3.0-5. Histograms of estimated contained metal and mineralized rock for undiscovered carbonatite deposits containing phosphorous, REE, niobium and rocks for the probabilistic estimate of the Khanneshin Carbonatite permissive tract cb01 Helmand Basin.	103
Figure 4.1-1. Map showing location of areas in Afghanistan that may contain deposits of tin and (or) tungsten. Permissive tract snw01 (Anar Dara) is delineated specifically for vein, stockwork, and porphyry deposits.	109
Figure 4.1-2. Map showing Anar Dara (snw01) permissive tract in west Afghanistan, showing mineral prospects and occurrences, geochemical halos, and outcrops of granitic rock.	110
Figure 4.1-3. LANDSAT image (bands 1, 2, and 3) showing granite stock associated with Sn-bearing mineral prospects in the Tourmaline area, Afghanistan.....	112
Figure 4.1-4. LANDSAT image (bands 7, 3, and 1), showing granitic pluton and the location of the Baytamur, Band, Maydan-Ahu, and Adamkhei prospects, Arghandab area of interest, Afghanistan.	114
Figure 4.2-1. Location of permissive tract fluor01 Bakhud for undiscovered fluorite deposits, showing location of geochemical halo anomalies	121

Figure 4.2-2. Map showing features of fluorite occurrences in south central Afghanistan.....	122
Figure 4.3-1. Area permissive for pegmatites affiliated with Oligocene plutons in Afghanistan.....	125
Figure 5.1-1. Map of Afghanistan, showing the location and identification of assessment tracts for porphyry copper deposits.	134
Figure 5.1-2. Map showing the Chagai east permissive tract (ppycu01) for undiscovered porphyry copper deposits and skarn copper deposits.	136
Figure 5.1-3. Cumulative distribution of estimated contained metal and mineralized rock in the Chagai east permissive tract (ppycu01).	138
Figure 5.1-4. Histograms of estimated contained metal and mineralized rock in the Chagai east permissive tract (ppycu01).	139
Figure 5.1-5. Map showing the Chagai west permissive tract (ppycu02) for undiscovered porphyry copper and skarn copper deposits.	141
Figure 5.1-6. Cumulative distribution of estimated contained metal and mineralized rock in the Chagai west permissive tract (ppycu02).	143
Figure 5.1-7. Histograms of estimated contained metal and mineralized rock in the Chagai west permissive tract (ppycu02).	144
Figure 5.1-8. Map showing the Spin Boldak permissive tract (ppycu03) for undiscovered porphyry copper deposits and skarn copper deposits.	146
Figure 5.1-9. Cumulative distribution of estimated contained metal and mineralized rock in the Spin Boldak permissive tract (ppycu03).	148
Figure 5.1-10. Histograms of estimated contained metal and mineralized rock in the Spin Boldak permissive tract (ppycu03).	149
Figure 5.1-11. Map showing the Saindak north permissive tract (ppycu04) for undiscovered porphyry copper and skarn copper deposits.	151
Figure 5.1-12. Cumulative distribution of estimated contained metal and mineralized rock in the Saindak north permissive tract (ppycu02).	153
Figure 5.1-13. Histograms of estimated contained metal and mineralized rock in the Saindak north permissive tract (ppycu02).	154
Figure 5.1-14. Map showing the Kundalyan-Zarkashan permissive tract (ppycu05) for undiscovered porphyry copper and skarn copper deposits.	156
Figure 5.1-15. Map of the Zarkashan part of the Kundalyan-Zarkashan porphyry copper tract.	157
Figure 5.1-16. Map of the Kundalyan part of the Kundalyan-Zarkashan porphyry copper permissive tract.	159
Figure 5.1-17. Aerial view of Kundalyan area. Barren subdued slopes are map unit KP ₁ gbm.	159
Figure 5.1-18. Evidence of mineral exploration in the Kundalyan area.....	160
Figure 5.1-19. Cumulative distribution of estimated contained metal and mineralized rock in the Kundalyan-Zarkashan permissive tract (ppycu05).	161
Figure 5.1-20. Histograms of estimated contained metal and mineralized rock in the Kundalyan-Zarkashan permissive tract (ppycu05).	162
Figure 5.1-21. Map showing the Argandhab permissive tract (ppycu06) for undiscovered porphyry copper deposits and skarn copper deposits.	164
Figure 5.1-22. Cumulative distribution of estimated contained metal and mineralized rock in the Argandhab permissive tract (ppycu06).	166

Figure 5.1-23. Histograms of estimated contained metal and mineralized rock in the Argandhab permissive tract (ppycu06).	167
Figure 5.1-24. Map showing the Katawaz permissive tract (ppycu07) for undiscovered porphyry copper and skarn copper deposits.	168
Figure 5.1-25. Cumulative distribution of estimated contained metal and mineralized rock in the Katawaz permissive tract (ppycu07).	170
Figure 5.1-26. Histograms of estimated contained metal and mineralized rock in the Katawaz permissive tract (ppycu07).	171
Figure 5.1-27. Map showing the Feroz Koh permissive tract (ppycu08) for undiscovered porphyry copper deposits and skarn copper deposits.	174
Figure 5.1-28. Cumulative distribution of estimated contained metal and mineralized rock in the Feroz Koh permissive tract (ppycu08).	175
Figure 5.1-29. Histograms of estimated contained metal and mineralized rock in the Feroz Koh permissive tract (ppycu08).	176
Figure 5.1-30. Map showing the Farah Rod permissive tract (ppycu09) for undiscovered porphyry copper deposits and skarn copper deposits.	179
Figure 5.1-31. Cumulative distribution of estimated contained metal and mineralized rock in the Farah Rod permissive tract (ppycu09).	180
Figure 5.1-32. Histograms of estimated contained metal and mineralized rock in the Farah Rod permissive tract (ppycu09).	181
Figure 5.1-33. Map showing the West Hindu Kush permissive tract (ppycu10) for undiscovered porphyry copper deposits and skarn copper deposits.	184
Figure 5.1-34. Cumulative distribution of estimated contained metal and mineralized rock in the West Hindu Kush permissive tract (ppycu10).	185
Figure 5.1-35. Histograms of estimated contained metal and mineralized rock in the West Hindu Kush permissive tract (ppycu10).	186
Figure 5.1-36. Map showing the West Badakhshan permissive tract (ppycu11) for undiscovered porphyry copper deposits.	187
Figure 5.1-37. Map showing the Helmand permissive tract (ppycu12) for undiscovered porphyry copper and skarn copper deposits.	189
Figure 5.1-38. Cumulative distribution of estimated contained metal and mineralized rock in the Helmand permissive tract (ppycu12).	190
Figure 5.1-39. Histograms of estimated contained metal and mineralized rock in the Helmand permissive tract (ppycu12).	191
Figure 5.2-1. Map showing location of tracts for lode gold deposits in Afghanistan. Section 5.2 discusses the pluton-related gold veins and skarns in Kandahar, Zabul and Ghazni Provinces.	194
Figure 5.2-2. Map showing location of permissive tract gold03 and two internal favorable tracts gold03-f1 and gold03-f2 for undiscovered pluton-related gold deposits.	196
Figure 5.2-3. Map showing location of favorable tract gold03-f1 in Kandahar and Zabul provinces with internal prospective tracts gold03-p1 and gold03-p2.	198
Figure 5.2-4. Maps showing parts of tract permissive gold03-f1 where aeromagnetic data were available for use in the assessment.	199
Figure 5.2-5. Map showing location of prospective tracts gold03-p1 and gold03-p2 in Zabul Province.	200
Figure 5.2-6. Map showing location of tract gold03-f2 tract favorable for undiscovered pluton-related gold deposits and location of internal prospective tracts gold03-p3 and gold03-p4.	202

Figure 5.2-7. Maps showing location of Prospective tracts gold03-p3 and gold01-p4 in Ghazni Province. ...	203
Figure 6.1-1. Permissive, favorable and prospective tracts for undiscovered epithermal mercury deposits in Afghanistan.	209
Figure 6.1-2. Location of permissive tract for epithermal (mercury) deposits, ephg01 Taywara mercury, showing province boundaries and shaded relief and internal favorable and prospective tracts.	220
Figure 6.1-3. Location of prospective tract ephg01-p1 in northern Farah province, showing location of the Zarmardan mercury occurrence.	223
Figure 6.1-4. Location of prospective tracts ephg01-p2, p3, and p4 containing vein and contact-related base-metal occurrences associated with Eocene to Oligocene plutons and stocks.	225
Figure 6.1-5. Prospective tract ephg01-p5 in northeastern Farah Province, showing the location of the three known mercury-bearing mineral occurrences there.	226
Figure 6.1-6. Prospective tracts ephg01-p6 and ephg01-p7 within favorable tract ephg01-f1 and permissive tract ephg01, for undiscovered mercury deposits in southwest Ghor Province.	229
Figure 6.1-7. Clusters of mercury occurrences, many with ancient workings, in the southwest lobe of prospective tract ephg01-p7 south of Taywara in southwest Ghor Province. This is the most highly mineralized area known in Afghanistan for mercury.	230
Figure 6.1-8. Prospects and shape of northeast part of the prospective tract ephg01-p7 for mercury deposits in Uruzgan Province.	232
Figure 6.1-9. Map showing location of prospective tract ephg01-p8 containing the Darwaza mercury occurrence and two other occurrences. The tract lies at the northeastern tip of the favorable tract ephg01-f1.	233
Figure 6.1-10. Map showing location of favorable mercury epithermal tract ephg01-f2 in Bamyan Province within permissive tract ephg01. The three mineral occurrences also lie proximal to elongate Cretaceous dunite bodies.	234
Figure 6.1-11. Histogram of estimated contained metal and mineralized rock in tract ephg01.	235
Figure 6.1-12. Cumulative distributions of estimated contained metal and mineralized rock in the Karnak-Kanja Hg tract ephg01.	236
Figure 6.1-13. Location of permissive tract ephg02 for undiscovered mercury epithermal deposits and related precious-metal epithermal deposits in Herat Province.	239
Figure 6.1-14. Location of the permissive tract ephg03 Tilak for hot-spring mercury deposits in Ghowr Province and location of known mercury mineral occurrences and geochemical anomalous halos.	241
Figure 6.1-15. Permissive tract ephg04 Nayak for undiscovered epithermal mercury and precious-metal deposits in Herat Province.	243
Figure 6.1-16. Permissive tract ephg05 Katawaz for undiscovered epithermal mercury deposits and precious-metal epithermal deposits in southeast Afghanistan.	246
Figure 6.1-17. Map of Spira-Zanda Gharay area in eastern Paktika and western Khost Provinces on the faulted eastern margin of permissive tract ephg03 Katawaz mercury.	247
Figure 6.1-18. Area in west part of permissive tract ephg05 for undiscovered epithermal mercury deposits showing Miocene intrusive rocks (reddish color), and ASTER alteration patches from Mars and Rowan (2006).	248
Figure 6.1-19. ASTER anomaly along northeast-striking linear zone coinciding with a mercury anomaly in part of tract ephg05 in the Katawaz Basin near Sharah Woluswal.	249

Figure 6.2-1. Map showing total permissive tracts for volcanogenic massive sulfide deposits in Afghanistan.	255
Figure 6.2-2. Map showing location of the four (4) parts of permissive tract VMS-01 Late Triassic Balkhab-Gazoghel (yellow) for undiscovered volcanogenic massive sulfide deposits.	257
Figure 6.2-3. Landsat imagery showing the location of the Balkhab volcanogenic massive sulfide occurrence in Sari Pul Province (VMS01a).	258
Figure 6.2-4. Map showing geology and location of western part of permissive tract VMS-01-Triassic Balkhab-Gazoghel for undiscovered volcanogenic massive sulfide deposits and the location of the Balkhab mineral occurrence.	259
Figure 6.2-5. Map showing location of two volcanogenic massive sulfide occurrences Gazoghel and Gazoghel I in central Baghlan Province in the eastern part of a central part of permissive tract VMS-01 Late Triassic Balkhab-Gazghel (VMS-01b) for undiscovered volcanogenic massive sulfide deposits.	260
Figure 6.2-6. Map showing location and three parts of permissive tract VMS-02 Late Jurassic-Early Cretaceous for undiscovered volcanogenic massive sulfide deposits.	262
Figure 6.2-7. Maps showing the western most part of the permissive tract VMS-02 Late Jurassic-Early Cretaceous for undiscovered volcanogenic massive sulfide deposits in Herat Province.	263
Figure 6.2-8. Map showing the central part of permissive tract VMS-02 Upper Jurassic-Lower Cretaceous containing the Shaida VMS occurrence and also showing the eastern parts of the tract.	265
Figure 6.2-9. Map showing location of parts of permissive tract VMS-03 Eocene-Oligocene for undiscovered volcanogenic massive sulfide deposits.	268
Figure 6.2-10. LANDSAT image of the Durbas area in Farah Province within permissive tract VMS-03.	269
Figure 6.2-11. Distribution of the part of tract VMS-03 Eocene-Oligocene in Farah Province in the Durbas area.	270
Figure 6.2-12. Map showing distribution of permissive tract VMS-04 Precambrian for undiscovered volcanogenic massive sulfide deposits in Afghanistan.	272
Figure 7.1-1. Map showing location of tracts sedcu01 and sedcu02 where undiscovered sediment-hosted copper deposits might be present.	277
Figure 7.1-2. Map showing version one of permissive tract sedcu01 and locations of known deposits and prospects (orange squares) from Ludington and others (2007).	279
Figure 7.1-3. Maps showing modified location of permissive tract sedcu01 after subtraction of Logar Eocene intrusive dunite body in the south-central parts and extension of a western limb, south of the city of Kabul.	280
Figure 7.1-4. Map showing location of central parts of permissive tract sedcu01 Aynak including two internal favorable tracts sedcu01-f1 and sedcu01-f2.	286
Figure 7.1-5. Maps showing location of favorable tract sedcu01-f1 and prospective tracts sedcu01-p1, p2, p3 and p4, Kabul and Logar Provinces.	287
Figure 7.1-6. Map showing location of stratabound copper occurrences in southern Kabul and northern Logar Provinces.	288
Figure 7.1-7. Geologic maps and sections of the (a) Darband and (b) Aynak sediment-hosted copper deposits in the Kabul district (Afghanistan Geological Survey, 2006a and b).	289
Figure 7.1-8. Cumulative distribution of estimated contained metal and mineralized rock in permissive tract sedcu01 Aynak for undiscovered sediment-hosted deposits, assuming the Aynak-type	

deposits have the same grade-tonnage distribution as sediment-hosted reduced-facies copper deposits.	290
Figure 7.1-9. Histograms of estimated contained metal and mineralized rock in permissive tract sedcu01 Aynak for undiscovered sediment-hosted deposits, assuming that the Aynak-type deposits have the same grade-tonnage distribution as that for sediment-hosted reduced-facies copper deposits.	291
Figure 7.1-10. Map showing location of favorable tract sedcu01-f2 Khaidarabad-Sultan Padshah within permissive tract sedcu01 Aynak area for undiscovered sediment-hosted copper deposits in Kabul Province.	293
Figure 7.1-11. Map showing location of multiple parts of permissive tract sedcu02 for undiscovered sediment-hosted copper deposits.	295
Figure 7.2-1. Map showing location of permissive and favorable tracts for sediment-hosted lead-zinc deposits in Afghanistan.	306
Figure 7.2-2. Maps showing location of total permissive tracts for sediment-hosted lead-zinc deposits in Afghanistan	307
Figure 7.2-3. Map showing location of permissive tract pbzn01 Phanerozoic sediment-hosted lead-zinc.	309
Figure 7.2-4. Central parts of permissive tract pbzn01 Phanerozoic sediment-hosted lead-zinc in Ghor Province, showing the location of favorable tracts pbzn01-f1 Nalbandon, -f2 Gharghanawl-Gawmazar, and -f3 East Ghor.	310
Figure 7.2-5. Map showing location of favorable tract pbzn01-f1 in three parts, one of which contains the Nalbandon deposit.	312
Figure 7.2-6. Favorable tract pbzn01-f2 Gharghanawl-Gawmazar in Ghor Province containing the Gharghanaw, Hasan Sansalaghay, Shekhlawas, and Gawmazar lead-zinc occurrences.	314
Figure 7.2-7. Favorable tract pbzn01-f3 in east-central Ghor Province.	315
Figure 7.2-8. Four areas within eastern Afghanistan that contain permissive stratigraphy for the occurrence of stratabound sediment-hosted lead-zinc deposits in rocks of Paleozoic and Early Mesozoic age.	316
Figure 7.2-9. Map showing location of areas of interest 1 and 2 for undiscovered lead and zinc deposits.	317
Figure 7.2-10. Map showing location of areas of interest 3 and 4 for undiscovered lead and zinc deposits.	318
Figure 7.2-11. Map showing location of area 5 within permissive tract pbzn01 (yellow) in relation to geochemical halo anomaly for lead in Herat Province.	319
Figure 7.2-12. (a) Map showing location of permissive tract pbzn02 for sediment-hosted lead zinc deposits within Lower Cretaceous sedimentary rocks (b) Location of the Talah lead-zinc occurrence within permissive tract pbzn02 in Uruzgan Province in the eastern parts of the tract.	321
Figure 7.2-13. Permissive tract pbzn03--Proterozoic (and al Precambrian) rocks in Afghanistan that may have potential for sediment hosted lead-zinc deposits.	323
Figure 7.2-14. Map of parts of permissive tract pbzn03 for sediment-hosted lead-zinc deposits in Proterozoic rocks in Parwan Province.	324
Figure 7.3-1. Maps showing location of some map units that host clay deposits in Afghanistan.	328
Figure 7.3-2. Maps showing distribution of brick-clay occurrences in Herat Province within Cenozoic sedimentary rocks, map unit Q ₂ a.	329

Figure 7.3-3. Maps showing distribution of clay deposits and occurrences in Mesozoic rocks in Samanghan and Baghlan Provinces.....	330
Figure 7.3-4. Maps showing distribution of clay occurrences in eastern Afghanistan hosted in Cenozoic sedimentary rocks.....	331
Figure 7.4-1. Distribution of limestone-bearing units within Afghanistan.....	341
Figure 7.4-2. Map showing tract lms01 and some important known limestone deposits and prospects.....	342
Figure 7.4-3. Map showing map units from Doebrich and Wahl, in which limestone is a minor component.....	343
F figure 8.1-1. Photographs of out crops of the Haji Gak sedimentary rock-hosted iron deposit in Bamyan and Wardak Provinces.....	345
Figure 8.1-2. Photographs of out crops of the Haji Gak sedimentary rock-hosted iron deposit in Bamyan and Wardak Provinces.....	346
Figure 8.1-3. Map of permissive tract sedfe01— Haji Gak Neoproterozoic for undiscovered sedimentary rock-hosted iron deposits.....	351
Figure 8.1-4. Map showing parts of permissive tract sedfe01—Haji Gak Neoproterozoic containing the Haji Gak and related deposits.....	352
Figure 8.1-5. Maps showing the location of the favorable tract sedfe01-f1 Haji Gak Neoproterozoic within larger permissive tract sedfe01.....	353
Figure 8.1-6. Map showing southern parts of tract sedfe01 Haji Gak Neopoterzoic which is permissive for undiscovered sedimentary rock-hosted iron deposits.....	354
Figure 8.1-7. Map showing location of permissive tract sedfe02—Paleoproterozoic in eastern and northern Afghanistan for undiscovered sedimentary rock-hosted iron deposits.....	357
Figure 8.1-8. Maps showing location of the three-part favorable tract sedfe02-f1 in central Parwan Province.....	358
Figure 8.1-9. Map of favorable tract sedfe02-f2 in eastern Parwan Province showing location of known iron mineral occurrences and permissive tract sedfe-02—Paleoproterozoic.....	359
Figure 8.1-10. Maps of ASTER imagery of the area included in favorable tract sedfe02-f1 in central Parwan Province.....	360
Figure 8.1-11. Map showing the location of permissive tract sedfe03—Mesoproterozoic for undiscovered sedimentary rock-hosted iron deposits.....	362
Figure 8.1-12. Maps showing the location of iron mineral occurrences in the western parts of permissive tract sedfe-03 for undiscovered sedimentary rock-hosted iron deposits.....	363
Figure 8.2-1. Maps of Phanerozoic and Proterozoic tracts for sedimentary manganese.....	368
Figure 8.2-2. Map showing parts of permissive tract sedMn01 that contains the Farenjal manganese and barite occurrences in Parwan Province.....	369
Figure. 8.3A-1. Map showing tract AFK-01, the area considered permissive for the occurrence of Jurassic potash-bearing bedded salt.....	373
Figure 8.3A-2. Cumulative distribution for potash based on the probabilistic estimates of undiscovered deposits for tract AFK-01, the permissive tract for Jurassic evaporites of the Afghan-Tajik basin.....	374
Figure 8.3A-3. Histogram of estimated potash and mineralized rock for undiscovered potash-bearing bedded salt deposits based on the probabilistic estimated for Jurassic evaporites of the Afghan-Tajik basin.....	374

Figure 8.3B-1. Map showing tract AFBS-01, the area considered permissive for the occurrence of Jurassic bedded salt.....	382
Figure 8.4-1. Geologic map showing location of the Kotal-i-Sebzak sedimentary phosphate occurrence (light blue dot) on the Heart-Badghis Province boundary within Cretaceous phosphate-bearing clay layers.....	385
Figure 8.5-1. Cumulative distribution of sedimentary celestite tonnages for well-explored deposits (Orris, 1992).	388
Figure 8.5-2. Cumulative distribution of sedimentary celestite deposits grades (Orris, 1992).....	389
Figure 8.5-3. Permissive tract for the occurrences of undiscovered celestite deposits based on distribution of Maestrichtian-Paleocene sedimentary rocks. Inset shows area of two known celestite occurrences.....	390
Figure 8.5-4. Map showing location of known celestite deposits Tangi-Murch in Baghlan Province, and Kunduz in Kunduz Province northern Afghanistan.	391
Figure 8.6-1. Map showing permissive tract for the location of undiscovered epigenetic barite (and stratabound) and lead and zinc deposits in Afghanistan.....	395
Figure 8.6.2. Maps showing location of barite occurrences and permissive tract for undiscovered barite deposits in the Herat area, Western Afghanistan.....	396
Figure 8.6-3. Maps showing location of barite occurrences in the Farenjal barite area along the Herat fault zone in Parwan Province.	397
Figure 8.7-1. Output of Monte Carlo simulation for sulfur resources in stratabound sulfur deposits of Afghanistan.	403
Figure 8.7-2. Maps showing location of sulfur occurrences and deposits in Afghanistan.....	404
Figure 8.7-3. Maps showing details of the northern stratabound occurrences (Alburz area) of sulfur in Afghanistan.	405
Figure 8.7-4. Maps showing location of the Dasht-i-Safed occurrence (arrow) area and other industrial mineral proximal occurrences and deposits of clay, gypsum and base metals.....	406
Figure 8.8-1 Tract AFGy-01, the area considered permissive for the occurrence of gypsum.....	410
Figure 8.8-2. Map showing age of gypsum-bearing rocks in Afghanistan.	411
Figure 8.9-1. Locations of mineral deposit types having bedded minerals, such as barite, celestite, gypsum, and halite, which may give clues to borate mineralization in Afghanistan.	415
Figure 8.9-2. Permissive tract for the occurrence of undiscovered lacustrine borate deposits. Dark blue lines are water drainages into playas.	416
Figure 8.9-3. Part of the permissive area for boron-bearing pegmatites veins in eastern Afghanistan.....	417
Figure 9.1-1. Map showing location of Permissive tracts gold01, gold02, and gold 03 in northern Afghanistan.	422
Figure 9.1-2. Map showing location of Permissive tract gold01 and favorable and prospective tracts within it in northern Afghanistan in Badakhshan Province.	424
Figure 9.1-3. Maps showing locations of favorable tracts on the western side of permissive tract gold01.....	426
Figure 9.1-4. Maps showing location of prospective tracts gold01-p3 and gold01-p4 in Badakhshan Province, northern Afghanistan that lie in favorable tract gold01-f3.....	428
Figure 9.1-5. Map showing location of permissive tract gold02 and location of numerous gold halo mineral-geochemical anomalies within and adjacent to the tract.	430

Figure 9.1-6. Map showing location of permissive tract gold04 Archean for undiscovered low-sulfide gold-quartz vein deposits in Badakshan Province and location of geochemical mineral halo anomalies.....	432
Figure 9.2-1. Locations of the six known graphite occurrences in Afghanistan.....	435
Figure 9.2-2. Map showing location of tract dvg01, which is permissive for the occurrence of disseminated flake and vein graphite deposits in Archean age metamorphic rocks in Afghanistan.	440
Figure 9.2-3. Cumulative distributions for flake graphite and rocks for the probabilistic estimates of the Badakhshan Archean permissive tract.....	441
Figure 9.2-4. Histograms of estimated contained flake graphite and mineralized rock for undiscovered disseminated flake graphite deposits for the probabilistic estimate for the Badakhshan Archean disseminated flake graphite tract.....	442
Figure 9.2-5. Location of permissive tract dvg02, which was delineated on the presence of Middle Proterozoic to Cambrian age high-grade metamorphic rocks.....	445
Figure 9.2-6. Permissive and favorable tracts for the occurrence of microcrystalline graphite deposits in Afghanistan with reported graphite, coal, and peat occurrences.....	447
Figure 9.2-7. Map of the Shere-Arman area, an area of interest for microcrystalline graphite where organic-rich beds and younger intrusions occur together in Badghis and Herat Provinces.	
Figure 9.2-8. Palowana area, an area of interest for microcrystalline graphite where organic-rich beds and younger intrusions occur together in Herat Provinces.	450
Figure 9.2-9. Map of the Charkh graphite area showing permissive and favorable tracts in an area of interest for the occurrence of microcrystalline graphite deposits in Afghanistan in the vicinity of the Charkh microcrystalline graphite occurrence.....	451
Figure 9.2-10. Map of the Bazarak area showing permissive, favorable, and prospective tracts for the occurrence of microcrystalline graphite deposits in Afghanistan with the Charkh graphite occurrence.	453
Figure 9.3-1. Known talc-magnesite occurrences in Afghanistan and tracts and areas of interest permissive for their presence.	459
Figure 9.3-2. Detail view of fig. 9.3-1. The largest known magnesite deposit in Afghanistan, Achin, is present within the delineated tract.....	460
Figure 10.1-1. Tonnages of laterite-type bauxite deposits. Individual digits represent number of deposits (Mosier, 1986).....	463
Figure 10.1-2. Alumina grades of laterite-type bauxite deposits. Individual digits represent number of deposits (Mosier, 1986).....	464
Figure 10.1-3. Tonnages of karst-type bauxite deposits (Mosier, 1986).	465
Figure 10.1-4. Alumina grades of karst-type bauxite deposits (Mosier, 1986).....	466
Figure 10.1-5. Tract bxt01, rocks permissive for the occurrence of laterite-type bauxite deposits in Afghanistan.	468
Figure 10.1-6. Parts of tract bxt01 showing areas in Baghlan and Samangan Provinces permissive for the occurrence of laterite-type bauxite deposits in Afghanistan.....	469
Figure 10.1-7. Known bauxite occurrences and tract bxt02, rocks permissive for the occurrence of karst-type bauxite deposits in Afghanistan.....	471
Figure 10.2-1. Location of two tracts permissive for undiscovered placer gold deposits.	475

Figure 10.2-2. Map showing location of upper and lower parts of permissive tract pgold01 for undiscovered placer deposits in Takhar and Badakhshan Province.....	477
Figure 10.2-3. Map showing location of upper and lower parts of permissive tract pgold01 for undiscovered placer deposits in Takhar and Badakhshan Provinces on top of shaded relief and also showing the known lode gold deposits.....	478
Figure 10.2-4. Maps showing location of parts of pgold01 tract permissive for undiscovered placer gold deposits in the perched upper reaches of the tract in Badakhshan Province.	479
Figure 10.2-5. Map showing location of pgold02 permissive tract for undiscovered placer deposits in Kandahar, Zabul and Ghazni Provinces.	481
Figure 10.2-6. Maps showing location of southern parts of permissive tract pgold02.	482
Figure 10.3-1. Basins and areas in Afghanistan used in assessment of sand and gravel resources.....	486
Figure 10.3.1-1. Empirical model of non-sand and gravel facies in sand and gravel deposits that can occur as interbedded silts and fine-grain overburden as well as other unsuitable materials (peat, etc)	488
Figure 10.3.1-2. Empirical model of mineral deposit densities for fluvial sand and gravel deposits and sand deposits in areas that are expected to have been well explored.....	490
Figure 10.3-2. Outline of Basin 1 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	496
Figure 10.3-2c. Outline of Basin 1 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.	497
Figure 10.3-3. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 1.	499
Figure 10.3-4. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 1 tracts.....	500
Figure 10.3-5. Distribution of sand and gravel resources in deposits in alluvial fans in Basin 1.	502
Figure 10.3-6. Outline of Basin 2 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	504
Figure 10.3-6c. Outline of Basin 2 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.	505
Figure 10.3-7. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 2 tracts.....	506
Figure 10.3-8. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 2 buffer zones.....	508
Figure 10.3-9. Distribution of sand and gravel resources in alluvial fans in Basin 2.	510
Figure 10.3-10. Outline of Basin 3 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	512
Figure 10.3-10c. Outline of Basin 3 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	513
Figure 10.3-11. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in the assessment zone in Basin 3.....	515
Figure 10.3-12. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 3.	517

Figure 10.3-13. Outline of Basin 4 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	519
Figure 10.3-13c. Outline of Basin 4 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	520
Figure 10.3-14. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 4.	522
Figure 10.3-15. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 4 tracts.....	523
Figure 10.3-16 Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 4.	525
Figure 10.3-17. Outline of Basin 5 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	527
Figure 10.3-17c. Outline of Basin 5 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	528
Figure 10.3-18. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 5 tracts.....	530
Figure 10.3-19. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer xones in Basin 5 tracts..	531
Figure 10.3-20. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 5.	533
Figure 10.3-21. Outline of Basin 6 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	535
Figure 10.3-21 c. Outline of Basin 6 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	536
Figure 10.3-22. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 6.	538
Figure 10.3-23. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 6 tracts.....	539
Figure 10.3-24. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 6.	541
Figure 10.3-25. Outline of Basin 7 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	543
Figure 10.3-25c. Outline of Basin 7 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	544
Figure 10.3-26. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 7 tracts.....	546
Figure 10.3-27. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 7 buffer zones.....	547
Figure 10.3-28. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 7.	549

Figure 10.3-29. Outline of Basin 8 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	551
Figure 10.3-29c. Outline of Basin 8 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	552
Figure 10.3-30. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 8 tracts.....	554
Figure 10.3-31. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 8 tracts.....	555
Figure 10.3-32. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 8.	557
Figure 10.3-33. Outline of Basin 9 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	559
Figure 10.3-33c. Outline of Basin 9 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	560
Figure 10.3-34. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 9 tracts.....	562
Figure 10.3-35. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 9 tracts.....	563
Figure 10.3-36. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 9.	565
Figure 10.3-37. Outline of Basin 10 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	567
Figure 10.3-37c. Outline of Basin 10 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	568
Figure 10.3-38. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 10 tracts.....	570
Figure 10.3-39. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 10 tracts.....	571
Figure 10.3-40. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 10.	573
Figure 10.3-41. Outline of Basin 11 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	575
Figure 10.3-41c. Outline of Basin 11 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	576
Figure 10.3-42. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 11 tracts.....	578
Figure 10.3-43. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 11 tracts.....	579
Figure 10.3-44. Distribution of sand and gravel resources in sand and gravel deposits in Basin 11 alluvial fans.....	581

Figure 10.3-45. Outline of Basin 12 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	583
Figure 10.3-45c. Outline of Basin 12 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	584
Figure 10.3-46. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 12 tracts.....	586
Figure 10.3-47. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 12 tracts.....	587
Figure 10.3-48. Distribution of sand and gravel resources in sand and gravel deposits in Basin 12 alluvial fans.....	587
Figure 10.3-49. Outline of Basin 13 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	591
Figure 10.3-49c. Outline of Basin 13 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	592
Figure 10.3-50. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 13 tracts.....	594
Figure 10.3-51. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 13 buffer zones.	595
Figure 10.3-52. Distribution of sand and gravel resources in sand and gravel deposits in Basin 13 alluvial fans.....	597
Figure 10.3-53. Outline of Basin 14 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	598
Figure 10.3-53c. Outline of Basin 14 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	599
Figure 10.3-54. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 14 tracts.....	601
Figure 10.3-55. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 14 buffer zones.....	603
Figure 10.3-56. Distribution of sand and gravel resources in sand and gravel deposits in Basin 14 alluvial fans.....	605
Figure 10.3-57. Outline of Basin 15 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	607
Figure 10.3-57c. Outline of Basin 15 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	608
Figure 10.3-58. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 15 tracts.....	610
Figure 10.3-59. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 15 tracts.....	611
Figure 10.3-60. Distribution of sand and gravel resources in sand and gravel deposits in Basin 15 alluvial fans.....	613

Figure 10.3-61. Outline of Basin 16 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	615
Figure 10.3-61 c. Outline of Basin 16 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	616
Figure 10.3-62. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 16 tracts.....	618
Figure 10.3-63. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 16 tracts.....	619
Figure 10.3-64. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 16.	621
Figure 10.3-65. Outline of Basin 17 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	623
Figure 10.3-65c. Outline of Basin 17 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	624
Figure 10.3-66. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 17 tracts.....	626
Figure 10.3-67. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 17 buffer zones.	627
Figure 10.3-68. Distribution of sand and gravel resources in sand and gravel deposits in Basin 17 alluvial fans.....	629
Figure 10.3-69. Outline of Basin 18 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	631
Figure 10.3-69c. Outline of Basin 18 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	632
Figure 10.3-70. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 18 tracts.....	634
Figure 10.3-71. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in buffer zones in Basin 18.	635
Figure 10.3-72. Distribution of sand and gravel resources in sand and gravel deposits in Basin 18 alluvial fans.....	637
Figure 10.3-73. Outline of Area A showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	639
Figure 10.3-73c. Outline of Area A showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	640
Figure 10.3-74. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area A.....	642
Figure 10.3-75. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area A buffer zones.	643
Figure 10.3-76. Outline of Area B showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	645

Figure 10.3-76c. Outline of Area B showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	646
Figure 10.3-77. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area B tracts.....	648
Figure 10.3-78. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area B buffer zones.	649
Figure 10.3-79. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Area B.....	651
Figure 10.3-80. Outline of Area C showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	652
Figure 10.3-80c. Outline of Area C showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	653
Figure 10.3-81. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area C tracts.....	655
Figure 10.3-82. Outline of Area D showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits and not permissive areas with slopes greater than 10 degrees (blue.).....	658
Figure 10.3-83. Outline of Area E showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	661
Figure 10.3-83c. Outline of Area E showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.....	662
Figure 10.3-84. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area E tracts.....	664
Figure 10.3-85. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area E buffer zones.....	665
Figure 10.3-86. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Area E.	667
Figure 10.3-87. Outline of Area F showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits.....	669
Figure 10.3-87c. Outline of Area F showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.	670
Figure 10.3-88. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area F tracts.....	672
Figure 10.3-89. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area F buffer zones.	673
Figure 10.3-90. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Area F.....	675
Figure 11.1-1. Photograph typical building stones.....	681
Figure 11.2.1-1. Tracts permissive (yellow) and favorable (orange) for the occurrence of undiscovered granite dimension stone deposits in Afghanistan.	684

Figure 11.2-1. Areas permissive and favorable for the occurrence of limestone deposits in Afghanistan.	
Figure 11.4-2. Areas permissive and favorable for the occurrence of limestone deposits in Afghanistan.	686
Figure 11.3-1. Afghanistan cities with known marble processing factories and the numbers of those factories in the cities (after USAID and others, 2006).....	787
Figure 11.3-2. Tracts permissive and favorable for the occurrence of undiscovered marble dimension stone deposits in Afghanistan.	690
Figure 11.4-1. Tracts permissive and favorable for the occurrence of undiscovered travertine dimension stone deposits in Afghanistan.....	693
Figure 11.4-2 An area of interest within tract dms04 is in Helmand Province along the Pakistan border. In this area, travertine is mined and carved into small figurines and made into other objects.....	696
Figure 11.4-3. Part of tract dms04 in Kandahar Province along the border with Pakistan where there is a known travertine deposit and travertine has been produced.....	697
Figure 11.5-1. Tracts permissive and favorable for the occurrence of undiscovered sandstone dimension stone deposits in Afghanistan.....	700
Figure 12.1-1. Location of area of interest for undiscovered emerald deposits in the Panjsher Valley area, showing location of known emerald deposits and main geologic units from Doebrich and Wahl, (2006).	706
Figure 12.2-1. Map showing location of the Jegdalek ruby occurrence in Qarghayai District southwest Laghman Province.....	707
Figure 12.2-2. Location of the Ab-i-Panja (Balal) gem area in northern Badakhshan Province, Ishkashim District.	708
Figure 12.3-1. Map showing location of the Sary-Sang Lapis Lazuli Mine and associated prospects in the Kokoschka River Valley.	709
Figure 12.3-2. Example of Lapis lazuli specimens and other minerals from the Sary-Sang Lapis Lazuli Mine and associated prospects in the Kokoschka River Valley.....	710
Figure 12.4-1. Maps showing location of pegmatite fields in Afghanistan modified from those described by Abdullah and others (1977).	712
Figure 12.4-2. Map showing location of tourmaline occurrences (pink diamonds) in pegmatite fields (yellow) in northeastern Afghanistan.	713
Figure 12.4-3. Map showing location of Nilaw-Kolum and Kulam tourmaline-kunzite occurrences in Nuristan Province, Mandol district, containing large areas of kunzite with associated amounts of tourmaline, beryllium, cesium, tantalum, rubidium and quartz.....	715

Tables

Table 1. Summary of known resources and estimated undiscovered resources for selected commodities in Afghanistan identified by the U.S. Com (1977) ered (metric tonnes) MEAluminum 4,535,000 metric tons at 50.5 Geological Survey-Afghanistan Geological Survey Joint Mineral Resource Assessment Team.	xxxiii
Table 1.0-1. Classification of mineral deposit models by deposit environment	13
Table 1.0-2. Metallogenic character of Afghanistan plutonic belts depicted on figure 1.0-3.	14
Table 2.1-1. Probability estimates of undiscovered podiform chromite deposits in tract umf01A.	27
Table 2.1-2 Table showing probabilistic distribution of estimated contained metal and mineralized rock for undiscovered podiform chromite deposits for the probabilistic estimates of the Eocene	36
Table 2.1-3. Consensus probability estimates of undiscovered podiform chromite deposits in tract umf01B.	38
Table 2.1-4 Table showing probabilistic distribution of estimated contained metal and mineralized rock for undiscovered podiform chromite deposits for the probabilistic estimates of tract umf01B the Eocene Ultramafic Rocks near Khost permissive tract.	42
Table 2.2-1. Ultramafic talc and magnesite occurrences in Afghanistan and talc-magnesite of uncertain affiliation (indicated by “*”).	55
Table 2.2-2. Probability estimate of undiscovered ultramafic-hosted talc-magnesite deposits in tract umf01A.	58
Table 2.3-1. Probability estimates of undiscovered serpentine-hosted asbestos deposits in tract umf01A.	74
Table 2.3-2. Table showing probabilistic distribution of estimated contained asbestos and mineralized rock for undiscovered serpentine-hosted asbestos deposits for the probabilistic estimates of tract umf01A—Eocene Ultramafic Rocks of Logar Valley permissive tract.	77
Table 2.3-3. Probability estimates of undiscovered serpentine-hosted asbestos deposits in tract umf01A.	78
Table 2.3-4. Table showing probabilistic distribution of estimated contained asbestos and mineralized rock for undiscovered serpentine-hosted asbestos deposits for the probabilistic estimates of tract umf01B—Eocene Ultramafic Rocks Near Khost permissive tract.	81
Table 3.0-1. Assessment team estimates of undiscovered carbonatite deposits in the cb01 Helmund Basin permissive tract.	98
Table 3.0-2. Mean estimates of metric tons of undiscovered phosphate, REE, niobium, and rock in undiscovered carbonatite tract.	98
Table 3.0-3. Table showing probabilistic distribution of estimated contained metal and mineralized rock for undiscovered carbonatite deposits containing phosphorous, REE , niobium, and rocks for the probabilistic estimate of the Khanneshin Carbonatite permissive tract cb01 Helmand Basin.	104
Table 4.1-1. Median tonnage and grade for tin and tungsten occurrence models.	106

Table 4.3-1. Pegmatite fields in Afghanistan.	125
Table 5.1-1. Median tonnage and grade for porphyry copper and associated deposit models.	130
Table 5.1-2. Table summarizing statistical parameters for the assessment of the Chagai east permissive tract (ppycu01). The mean number of expected deposits is 1.3.	137
Table 5.1-3. Table summarizing statistical parameters for the assessment of the Chagai west permissive tract (ppycu02). The mean number of expected deposits is 1.0.	142
Table 5.1-4. Table summarizing statistical parameters for the assessment of the Spin Boldak permissive tract (ppycu03). The mean number of expected deposits is 0.6.	147
Table 5.1-5. Table summarizing statistical parameters for the assessment of the Saindak north permissive tract (ppycu04). The mean expected number of deposits is 0.9.	152
Table 5.1-6. Table summarizing statistical parameters for the assessment of the Kundalyan-Zarkashan permissive tract (ppycu05). The mean expected number of deposits is 1.0.	161
Table 5.1-7. Table summarizing statistical parameters for the assessment of the Argandhab permissive tract (ppycu06). The mean expected number of deposits is 0.6.	165
Table 5.1-8. Table summarizing statistical parameters for the assessment of the Katawaz permissive tract (ppycu07). The mean expected number of deposits is 0.6.	169
Table 5.1-9. Table summarizing statistical parameters for the assessment of the Feroz Koh permissive tract (ppycu08). The mean expected number of deposits is 0.6.	173
Table 5.1-10. Table summarizing statistical parameters for the assessment of the Farah Rod permissive tract (ppycu09). The mean expected number of deposits is 1.3.	178
Table 5.1-11. Table summarizing statistical parameters for the assessment of the West Hindu Kush permissive tract (ppycu10). The mean expected number of deposits is 0.3.	183
Table 5.1-12. Table summarizing statistical parameters for the assessment of the Helmand permissive tract (ppycu12). The mean expected number of deposits is 0.3.	189
Table 5.1-13. Summary of Estimates of undiscovered porphyry copper deposits in Afghanistan.	193
Table 6.1-1. Mercury-rich mineral occurrences of Afghanistan.	210
Table 6.1-2. Table showing probabilistic distribution of estimated contained metal and mineralized rock for undiscovered hot-spring mercury deposits permissive tract ephg01 Karnak-Kanja Hg.	237
Table 7.1-1. Table of output for permissive tract sedcu01 Aynak for undiscovered sediment-hosted deposits, assuming that the Aynak-type deposits have the same grade-tonnage distribution as that for sediment-hosted reduced-facies copper deposits.	292
Table 8.3A-1. Probability estimates for undiscovered potash-bearing bedded halite deposits in tract AFK-01.	372
Table 8.3A-2. Table showing probabilistic distribution of estimated contained asbestos and mineralized rock for undiscovered potash-bearing bedded halite deposits for the probabilistic estimated for Jurassic evaporites of the Afghan-Tajik basin.	376
Table 9.2-1. Probability estimates of undiscovered disseminated flake graphite deposits in tract dvg01.	438
Table 9.2-2. Table showing probabilistic distribution of contained metal and mineralized rock for undiscovered disseminated flake graphite deposits for the probabilistic estimates of the Badakhshan Archean permissive tract.	443

Table 9.3-1. Some metasomatic talc-magnesite occurrences in Afghanistan.	457
Table 10.2-1. Gold placer deposits and estimated known resources of Afghanistan (Abdullah and others, 1977).	473
Table 10.3-1. Summary of the amount of sand and gravel (in million cubic meters) expected in both discovered and undiscovered deposits for fluvial sand and gravel deposit type and alluvial fan sand and gravel type for 24 river basins and other areas in Afghanistan.	492
Table 10.3-2. Estimated number of fluvial sand and gravel deposits in Basin 1, both discovered and undiscovered, calculated using the MDD model.	498
Table 10.3-3. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.	499
Table 10.3-4. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 1.	501
Table 10.3-5. Estimated number of fluvial sand and gravel deposits in Basin 2, both discovered and undiscovered, calculated using the MDD model.	506
Table 10.3-6. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.	507
Table 10.3-7. Estimate number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 2.	509
Table 10.3-8. Estimated number of fluvial sand and gravel deposits in Basin 3 assessment zone, both discovered and undiscovered, calculated using the MDD model.	514
Table 10.3-9. Estimate number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 3.	516
Table 10.3-10. Estimated number of fluvial sand and gravel deposits in Basin 4, both discovered and undiscovered, calculated using the MDD model.	521
Table 10.3-11. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.	520
Table 10.3-12. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 4.	524
Table 10.3-13. Estimated number of fluvial sand and gravel deposits in Basin 5, both discovered and undiscovered, calculated using the MDD model.	529
Table 10.3-14. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.	530
Table 10.3-15. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 5.	532
Table 10.3-16. Estimated number of fluvial sand and gravel deposits in Basin 6, both discovered and undiscovered, calculated using the MDD model.	537
Table 10.3-17. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.	538
Table 10.3-18. Estimated number of sand and gravel deposits both discovered and undiscovered, in alluvial fans in Basin 6.	540
Table 10.3-19. Estimated number of fluvial sand and gravel deposits in Basin 7, both discovered and undiscovered, calculated using the MDD model.	545
Table 10.3-20. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.	546

Table 10.3-21. Estimated number of fluvial sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 7.....	548
Table 10.3-22. Estimated number of fluvial sand and gravel deposits in Basin 8, both discovered and undiscovered, calculated using the MDD model.	553
Table 10.3-23. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.....	554
Table 10.3-24. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 8.	556
Table 10.3-25. Estimated number of fluvial sand and gravel deposits in Basin 9, both discovered and undiscovered, calculated using the MDD model.	561
Table 10.3-26. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.....	562
Table 10.3-27. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 9.	564
Table 10.3-28. Estimated number of fluvial sand and gravel deposits in Basin 10, both discovered and undiscovered, calculated using the MDD model.	569
Table 10.3-29. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.....	570
Table 10.3-30. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 10.	572
Table 10.3-31. Estimated number of fluvial sand and gravel deposits in Basin 11, both discovered and undiscovered, calculated using the MDD model.	577
Table 10.3-32. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.....	578
Table 10.3-33. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 11.	580
Table 10.3-34. Estimated number of fluvial sand and gravel deposits in Basin 12, both discovered and undiscovered, calculated using the MDD model.	585
Table 10.3-35. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model.....	586
Table 10.3-36. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 12.	588
Table 10.3-37. Estimated number of fluvial sand and gravel deposits in Basin 13, both discovered and undiscovered, calculated using the MDD model.	593
Table 10.3-38. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	594
Table 10.3-39. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 13.	596
Table 10.3-40. Estimated number of fluvial sand and gravel deposits in Basin 14, both discovered and undiscovered, calculated using the MDD model.	601
Table 10.3-41. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	602
Table 10.3-42. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 14.	604

Table 10.3-43. Estimated number of fluvial sand and gravel deposits in Basin 15, both discovered and undiscovered, calculated using the MDD model.	609
Table 10.3-44. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	610
Table 10.3-45. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 15.	612
Table 10.3-46. Estimated number of fluvial sand and gravel deposits in Basin 16, both discovered and undiscovered, calculated using the MDD model.	617
Table 10.3-47. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	618
Table 10.3-48. Estimate number of fluvial sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 16.	620
Table 10.3-49. Estimated number of fluvial sand and gravel deposits in Basin 17, both discovered and undiscovered, calculated using the MDD model.	625
Table 10.3-50. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	626
Table 10.3-51. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 17.	628
Table 10.3-52. Estimated number of fluvial sand and gravel deposits in Basin 18, both discovered and undiscovered, calculated using the MDD model.	633
Table 10.3-53. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones in Basin 18 calculated using the MDD model.	634
Table 10.3-54. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 18.	636
Table 10.3-55. Estimated number of fluvial sand and gravel deposits in Area A, both discovered and undiscovered, calculated using the MDD model.	641
Table 10.3-56. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	642
Table 10.3-57. Estimated number of fluvial sand and gravel deposits in Area B, both discovered and undiscovered, calculated using the MDD model.	647
Table 10.3-58. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	648
Table 10.3-59. Estimated number of alluvial sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Area B.	650
Table 10.3-60. Estimated number of fluvial sand and gravel deposits in Area C, both discovered and undiscovered, calculated using the MDD model.	654
Table 10.3-61. Estimated number of fluvial sand and gravel deposits in Area E, both discovered and undiscovered, calculated using the MDD model.	663
Table 10.3-62. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	664
Table 10.3-63. Estimated number of fluvial sand and gravel deposits both discovered and undiscovered in alluvial fans in Area E.	666
Table 10.3-64. Estimated number of fluvial sand and gravel deposits in Area F, both discovered and undiscovered, calculated using the MDD model.	671

Table 10.3-65. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	672
Table 10.3-66. Estimated number of fluvial sand and gravel deposits both discovered and undiscovered in alluvial fans in Area F.	674

Appendix

Appendix 1 Geographic Information System (GIS) Project to Accompany the Non-Fuel Mineral Resource Assessment of Afghanistan
