

Identification\_Information:

Citation:

Citation\_Information:

Originator: U.S. Geological Survey  
Publication\_Date: 20020601  
Title: Burnt Fire of Kings Canyon National Park - 2001  
Geospatial\_Data\_Presentation\_Form:  
Raster digital data.  
Vector data are also available as ArcView Shape Files.  
Publication\_Information:  
Publication\_Place: Sioux Falls, South Dakota USA  
Publisher: U.S. Geological Survey  
Online\_Linkage: <http://edc.usgs.gov>

Description:

Abstract:

The U.S. Geological Survey (USGS) has entered into a cooperative agreement with the National Park Service (NPS) to deliver satellite imagery and derivative products centered on major fires that impact national parks and other federal lands. This data set was compiled at the request of a federal land management agency and is part of a suite of products generated for a specific fire. See the National Burn Severity Mapping web site at: [http://edc2.usgs.gov/fsp/severity/fire\\_main.asp](http://edc2.usgs.gov/fsp/severity/fire_main.asp)

Purpose:

The purpose of this project is to develop a robust mapping methodology and consistent data products that allow federal land managers and fire ecologists to evaluate and compare burn severity within individual fires and between fires across various ecosystems. These products will help land managers to more effectively plan, implement and monitor fire recovery activities.

Supplemental\_Information:

Fire Name: Burnt  
Park: Sequoia/Kings  
Date of Fire: 7/30/2001  
Type of assessment: Initial  
Acres within Fire Perimeter: 1190  
Landsat Path and Row: 42/34  
Pre-Fire Landsat Date/Scene ID: Landsat 7;  
Sept. 29, 2000 / LE7042034000027350  
Post-Fire Landsat Date/Scene ID: Landsat 7;  
Oct. 18, 2001 / LE7042034000129150  
Output Dataset Projection: UTM  
Zone 11  
NAD 27  
Clarke1866

Image subset Corner Coordinate  
(center of upper left pixel, projection meters)

ULX: 340412 LRX: 360032  
ULY: 4099831 LRY: 4083031

Image subset size:

#Rows 561  
#Columns 655

Pixel size: 30 meters

Bounding Box:

North Lat: 37 01 10 N  
South Lat: 36 42 54 N  
East Long: 118 34 14 W  
West Long: 118 47 39 W

Latitude and Longitude within Fire Perimeter:

Lat (N)	Long (W)
36 57 33	118 41 46

Fire Perimeter: Manually digitized, interpretation of burn perimeter was difficult.

For further information on NLAPS and Landsat TM data, please refer to the metadata documentation found on the USGS Clearinghouse website at:

<http://www.fgdc.gov/clearinghouse/clearinghouse.html>

Information on Landsat 7 can be found at the Clearinghouse site and also at: <http://landsat7.usgs.gov/>

Product list:

burn01apretm.tif

Pre-Fire Landsat TM Color Composite Image subset  
(bands 1,2,3,4,5,7 Geo-TIFF)

burn01apostm.tif

Post-Fire Landsat TM Color Composite Image subset  
(bands 1,2,3,4,5,7 Geo-TIFF)

burn01a\_dnbr

Differenced Normalized Burn Ratio (DNBR) subset (ArcInfo GRID)

burn01ap

Fire Perimeter (shape file)

dnbra\_42-34

Full Scene DNBR (ArcInfo GRID)

Time\_Period\_of\_Content:

Time\_Period\_Information:

Multiple\_Dates/Times:

Single\_Date/Time:

Calendar\_Date: 20000929 (pre-fire image)

Single\_Date/Time:

Calendar\_Date: 20010730 (date fire began)

Single\_Date/Time:

Calendar\_Date: 20011018 (post-fire image)

Currentness\_Reference: ground condition

Status:

Progress: Complete

Maintenance\_and\_Update\_Frequency: as needed

Spatial\_Domain:

Bounding\_Coordinates:

West\_Bounding\_Coordinate: -118.47.39

East\_Bounding\_Coordinate: -118.34.14

North\_Bounding\_Coordinate: 37.01.10

South\_Bounding\_Coordinate: 36.42.54

Keywords:

Theme:

Theme\_Keyword\_Thesaurus: none

Theme\_Keyword: burn mapping

Theme\_Keyword: imagery

Theme\_Keyword: fire

Theme\_Keyword: Landsat

Place:

Place\_Keyword\_Thesaurus: none  
Place\_Keyword: Kings Canyon National Park  
Place\_Keyword: Burnt  
Place\_Keyword: California

Access\_Constraints: FTP data sets are available to any user.

Use\_Constraints:

There are no restrictions on use, except for reasonable and proper acknowledgement of information sources.

Point\_of\_Contact:

Contact\_Information:

+001 605-594-6151 or (USA) 800-252-4547

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position: CSR

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_Address:

Address\_Type: physical and mailing address

Address: 47914 252nd Street

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Data\_Set\_Credit: USGS and NASA

Native\_Data\_Set\_Environment: Oracle, ERDAS Imagine, & ArcInfo

Data\_Quality\_Information:

Attribute\_Accuracy:

Attribute\_Accuracy\_Report:

Three on-board calibrators (two solar, one internal) provide an absolute accuracy of 5 percent, excluding band 6.

Logical\_Consistency\_Report:

Landsat-7 data are collected from a nominal altitude of 705 kilometers in a near-polar, near-circular, sun-synchronous orbit at an inclination of 98.2 degrees, imaging the same 183-km swath of Earth's surface every 16 days. The pixels representing the bands for the image are in the data set only once.

Completeness\_Report:

Fire perimeter was manually digitized; interpretation of burn perimeter was difficult.

Positional\_Accuracy:

Horizontal\_Positional\_Accuracy:

Horizontal\_Positional\_Accuracy\_Report:

Energy reflected from Earth's surface passes through a whisk-broom scanning system and all-reflective optics before being collected by the solid-state detectors at the focal plane.

Lineage:

Process\_Step:

Process\_Description:

These data products are derived from Landsat Thematic Mapper data. A pre-fire scene and a post-fire scene are analyzed to create a Differenced Normalized Burn Ratio (DNBR) image. The DNBR image portrays the variations of burn severity within the fire.

The Landsat images are terrain corrected and geometrically rectified

to an Albers Conical Equal Area map projection using the National Landsat Archive Production System (NLAPS). The images are further processed to convert bands 1-5 and 7 to at-satellite-reflectance. The Normalized Burn Ratio (NBR) is computed for each date of imagery using the following formula:

$$(\text{Band 4} - \text{Band 7}) / (\text{Band 4} + \text{Band 7}) = \text{NBR}$$

The differenced NBR is computed by subtracting the post-fire NBR from the pre-fire NBR:

$$\text{PreNBR} - \text{PostNBR} = \text{DNBR}$$

Higher DNBR values are correlated with more severe burns. The DNBR image is evaluated to determine the threshold value between burned and unburned areas. The perimeter of the fire is delineated using the DNBR image. The DNBR image, the pre-fire and post-fire TM images, and a fire perimeter vector file are provided in digital format in the map projection used by the National Park Service.

Source\_Used\_Citation\_Abbreviation: TM

Process\_Date: 20020601

Source\_Produced\_Citation\_Abbreviation: DNBR

Cloud\_Cover: 10

Distribution\_Information:

Distributor:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

EROS Data Center

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605 594-6933

Contact\_Facsimile\_Telephone: +001 605 594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Distribution\_Liability:

No warranty expressed or implied is made by the USGS regarding the use of the data, nor does the act of distribution constitute any such warranty. The USGS will warrant the delivery of this product and will offer appropriate adjustment of credit when the product is determined unreadable, or when the physical medium is delivered in damaged condition. Requests for adjustment of credit must be made within 60 days from the date of this shipment from the order site.

Standard\_Order\_Process:

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: Geo-TIFF

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: DNBR ArcInfo GRID

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: shape file

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Fees: [http://edc2.usgs.gov/fsp/severity/fire\\_main.asp](http://edc2.usgs.gov/fsp/severity/fire_main.asp)

Ordering\_Instructions: <http://edc2.usgs.gov/fsp/severity/help.asp#ordering>

Turnaround: same day

Metadata\_Reference\_Information:

Metadata\_Date: 20020703

Metadata\_Contact:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization:

USGS EROS Data Center

Science & Applications Branch

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

EROS Data Center

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: [fsedc@usgs.gov](mailto:fsedc@usgs.gov)

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Metadata\_Standard\_Name: Content Standard for Digital Geospatial Metadata

Metadata\_Standard\_Version: FGDC-STD-001-1998

Metadata\_Access\_Constraints: none

Metadata\_Use\_Constraints: none