

Identification\_Information:

Citation:

Citation\_Information:

Originator: U.S. Geological Survey

Publication\_Date: 20060201

Title: Highpower Creek Fire of Denali National Park and Preserve - 2005

Geospatial\_Data\_Presentation\_Form:

Raster digital data.

Vector data are also available as ArcView Shape Files.

Publication\_Information:

Publication\_Place: Sioux Falls, South Dakota USA

Publisher: U.S. Geological Survey

Online\_Linkage: <http://edc.usgs.gov>

Description:

Abstract:

The U.S. Geological Survey (USGS) has entered into a cooperative agreement with the National Park Service (NPS) to deliver satellite imagery and derivative products centered on major fires that impact national parks and other federal lands. This data set was compiled at the request of a federal land management agency and is part of a suite of products generated for a specific fire.

See the National Burn Severity Mapping web site at:

[http://edc2.usgs.gov/fsp/severity/fire\\_main.asp](http://edc2.usgs.gov/fsp/severity/fire_main.asp)

Purpose:

The purpose of this project is to develop a robust mapping methodology and consistent data products that allow federal land managers and fire ecologists to evaluate and compare burn severity within individual fires and between fires across various ecosystems. These products will help land managers to more effectively plan, implement and monitor fire recovery activities.

Supplemental\_Information:

Fire Name: Highpower Creek Fire

Agency: National Park Service

Land Management Unit: Denali National Park and Preserve

Date of Fire: 6/14/2005

Type of assessment: Initial Assessment

Acres within Fire Perimeter: 121910

Landsat Path and Row: 71/16

Pre-Fire Landsat Date/Scene ID:

Landsat 7; Aug. 13, 2002/LE7071016000222550

Post-Fire Landsat Date/Scene ID:

Landsat 5; Sep. 14, 2005/LT5071016000525710

Output Dataset Projection: Alaska Albers Conical Equal Area

Spheroid Name: GRS80

Datum Name: NAD83

Latitude of 1st standard parallel: 55 00 00 N

Latitude of 2nd standard parallel: 65 00 00 N

Longitude of central meridian: 154 00 00 W

Latitude of origin of projection: 50 00 00

False easting at central meridian 0 meters

False northing at origin: 0 meters

Image subset Corner Coordinate (center of upper left pixel, projection meters)

ULX: 46230 LRX: 97890

ULY: 1534080 LRY: 1481160

Image subset size:

#Rows 1765

#Columns 1723

Pixel size: 30 meters

Bounding Box:

North Lat: 63 45 57 N

South Lat: 63 17 29 N

East Long: 152 01 46 W  
West Long: 154 04 13 W  
Latitude and Longitude within Fire Perimeter:  
Lat: 63 29 23 N  
Long: 152 27 04 W

Fire Perimeter: Perimeter was manually digitized from landsat imagery.

For further information on NLAPS and Landsat TM data, please refer to the metadata documentation found on the USGS Clearinghouse website at:  
<http://www.fgdc.gov/clearinghouse/clearinghouse.html>

Product List:

hicr05a\_pretm.tif  
Pre-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

hicr05a\_postm.tif  
Post-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

hicr05a\_dnbr  
Differenced Normalized Burn Ratio (DNBR) subset (ArcInfo GRID)

hicr05a\_pr  
Fire Perimeter (shape file)  
Fire perimeter has been revised by NOAT and named according to the NWCG GIS Standard Operating Procedures.  
(20050914\_1200\_Highpower\_Creek\_AKDEP-226\_per\_poly\_AK\_Albers\_NAD83)

cldshdw  
Cloud Shadow (shape file)

hicr05a\_hist.xls  
DNBR pixel count within the fire perimeter (excel file)

d711608020905  
Full Scene DNBR (ArcInfo GRID)

Time\_Period\_of\_Content:

Time\_Period\_Information:

Multiple\_Dates/Times:

Single\_Date/Time:

Calendar\_Date: 20020813 (pre-fire image)

Single\_Date/Time:

Calendar\_Date: 20050614 (date fire began)

Single\_Date/Time:

Calendar\_Date: 20050914 (post-fire image)

Currentness\_Reference: ground condition

Status:

Progress: Complete

Maintenance\_and\_Update\_Frequency: as needed

Spatial\_Domain:

Bounding\_Coordinates:

West\_Bounding\_Coordinate: -154.04.13

East\_Bounding\_Coordinate: -152.01.46

North\_Bounding\_Coordinate: 63.45.57

South\_Bounding\_Coordinate: 63.17.29

Keywords:

Theme:

Theme\_Keyword\_Thesaurus: none

Theme\_Keyword: burn mapping

Theme\_Keyword: imagery  
Theme\_Keyword: fire  
Theme\_Keyword: Landsat  
Theme\_Keyword: National Park Service

Place:

Place\_Keyword\_Thesaurus: none  
Place\_Keyword: Denali National Park and Preserve  
Place\_Keyword: Highpower Creek  
Place\_Keyword: Alaska

Access\_Constraints: FTP data sets are available to any user.

Use\_Constraints: There are no restrictions on use, except for reasonable and proper acknowledgement of information sources.

Point\_of\_Contact:

Contact\_Information:

+001 605-594-6151 or (USA) 800-252-4547  
Contact\_Organization\_Primary:  
Contact\_Organization: U.S. Geological Survey  
Contact\_Position: CSR  
Contact\_Voice\_Telephone: +001 605-594-6151  
Contact\_Address:  
Address\_Type: physical and mailing address  
Address: 47914 252nd Street  
City: Sioux Falls  
State\_or\_Province: SD  
Postal\_Code: 57198-0001  
Country: USA

Contact\_TDD/TTY\_Telephone: +001 605-594-6933  
Contact\_Voice\_Telephone: +001 605-594-6151  
Contact\_Facsimile\_Telephone: +001 605-594-6589  
Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov  
Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT  
Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Data\_Set\_Credit: USGS and NASA

Native\_Data\_Set\_Environment: Oracle, ERDAS Imagine, & ArcInfo

Data\_Quality\_Information:

Attribute\_Accuracy:

Attribute\_Accuracy\_Report:

Three on-board calibrators (two solar, one internal) provide an absolute accuracy of 5 percent, excluding band 6.

Logical\_Consistency\_Report:

These Landsat data are collected from a nominal altitude of 705 kilometers in a near-polar, near-circular, sun-synchronous orbit at an inclination of 98.2 degrees, imaging the same 183-km swath of Earth's surface every 16 days. The pixels representing the bands for the image are in the data set only once.

Completeness\_Report: Fire perimeter was automated, (seed value 425, distance 325) with manual edits.

Positional\_Accuracy:

Horizontal\_Positional\_Accuracy:

Horizontal\_Positional\_Accuracy\_Report:

Energy reflected from Earth's surface passes through a whisk-broom scanning system and all-reflective optics before being collected by the solid-state detectors at the focal plane.

Lineage:

Process\_Step:

Process\_Description:

These data products are derived from Landsat Thematic Mapper data. A pre-fire scene and a post-fire scene are analyzed to create a Differenced Normalized Burn Ratio (DNBR) image. The DNBR image portrays the variations of burn severity within the fire.

The Landsat images are terrain corrected and geometrically rectified to an Albers Conical Equal Area map projection using the National Landsat Archive Production System (NLAPS). The images are further processed to convert bands 1-5 and 7 to at-satellite-reflectance. The Normalized Burn Ratio (NBR) is computed for each date of imagery using the following formula:  
$$(\text{Band 4} - \text{Band 7}) / (\text{Band 4} + \text{Band 7}) = \text{NBR}$$

The differenced NBR is computed by subtracting the post-fire NBR from the pre-fire NBR:  
$$\text{PreNBR} - \text{PostNBR} = \text{DNBR}$$

Higher DNBR values are correlated with more severe burns. The DNBR image is evaluated to determine the threshold value between burned and unburned areas. The perimeter of the fire is delineated using the DNBR image. The DNBR image, the pre-fire and post-fire TM images, and a fire perimeter vector file are provided in digital format in the map projection used by the National Park Service.

Source\_Used\_Citation\_Abbreviation: TM

Process\_Date: 20060201

Source\_Produced\_Citation\_Abbreviation: DNBR

Cloud\_Cover: 10

Distribution\_Information:

Distributor:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization: U.S. Geological Survey

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

National Center EROS

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605 594-6933

Contact\_Facsimile\_Telephone: +001 605 594-6589

Contact\_Electronic\_Mail\_Address: fsedc@usgs.gov

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Distribution\_Liability:

No warranty expressed or implied is made by the USGS regarding the use of the data, nor does the act of distribution constitute any such warranty.

Standard\_Order\_Process:

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: Geo-TIFF

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: DNBR ArcInfo GRID

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Digital\_Form:

Digital\_Transfer\_Information:

Format\_Name: shape file

Format\_Version\_Number: 1

Digital\_Transfer\_Option:

Online\_Option:

Computer\_Contact\_Information:

Network\_Address:

Network\_Resource\_Name: [http://edc2.usgs.gov/fsp/severity/download\\_data.asp](http://edc2.usgs.gov/fsp/severity/download_data.asp)

Fees: No charge

Ordering\_Instructions: <http://edc2.usgs.gov/fsp/severity/help.asp#ordering>

Turnaround: same day

Metadata\_Reference\_Information:

Metadata\_Date: 20060214

Metadata\_Contact:

Contact\_Information:

Contact\_Organization\_Primary:

Contact\_Organization:

USGS National Center EROS

Science & Applications Branch

Contact\_Position:

Principal Scientist

Land Cover Applications

Contact\_Address:

Address\_Type: mailing and physical address

Address:

47914 252nd Street

National Center EROS

City: Sioux Falls

State\_or\_Province: SD

Postal\_Code: 57198-0001

Country: USA

Contact\_Voice\_Telephone: +001 605-594-6151

Contact\_TDD/TTY\_Telephone: +001 605-594-6933

Contact\_Facsimile\_Telephone: +001 605-594-6589

Contact\_Electronic\_Mail\_Address: [fsedc@usgs.gov](mailto:fsedc@usgs.gov)

Hours\_of\_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact\_Instructions: [http://edc2.usgs.gov/fsp/severity/contact\\_us.asp](http://edc2.usgs.gov/fsp/severity/contact_us.asp)

Metadata\_Standard\_Name: Content Standard for Digital Geospatial Metadata

Metadata\_Standard\_Version: FGDC-STD-001-1998

Metadata\_Access\_Constraints: none

Metadata\_Use\_Constraints: none