Identification_Information:

Citation:

Citation Information:

Originator: U.S. Geological Survey

Publication_Date: 20070701

Title: Magpie and Stinky Fires of Yellowstone National Park - 2006

Geospatial_Data_Presentation_Form:

Raster digital data.

Vector data are also available as ArcView Shape Files.

Publication Information:

Publication_Place: Sioux Falls, South Dakota USA

Publisher: U.S. Geological Survey Online_Linkage: http://edc.usgs.gov

Description:

Abstract:

The U.S. Geological Survey (USGS) has entered into a cooperative agreement with the National Park Service (NPS) to deliver satellite imagery and derivitive products centered on major fires that impact national parks and other federal lands. This data set was compiled at the request of a federal land management agency and is part of a suite of products generated for a specific fire. See the National Burn Severity Mapping web site at: http://edc2.usgs.gov/fsp/severity/fire_main.asp

Purpose:

The purpose of this project is to develop a robust mapping methodology and consistent data products that allow federal land managers and fire ecologists to evaluate and compare burn severity within individual fires and between fires across various ecosystems. These products will help land managers to more effectively plan, implement and monitor fire recovery activities.

Supplemental_Information:
Fire Names: Magpie, Stinky
Agency: National Park Service

Land Management Unit: Yellowstone National Park

Date of Fires: 7/17/2006, 8/15/2006 Type of assessment: Extended

Acres within Fire Perimeter: 3610, 960

Landsat Path and Row: 38/29 Pre-Fire Landsat Date/Scene ID:

Landsat 5; Aug. 1, 2003/LT5038029000321310

Post-Fire Landsat Date/Scene ID:

Landsat 5; July 11, 2007/LT5038029000719210

Output Dataset Projection: UTM

UTM Zone: 12

Datum Name: NAD83 Spheroid Name: GRS80

Image subset Corner Coordinate (center of upper left pixel, projection meters)

ULX: 480780 LRX: 598740 ULY: 5002500 LRY: 4877220

Image subset size: #Rows: 4177

#Columns: 3933 Pixel size: 30 meters Bounding Box:

North Lat: 45 10 33 N South Lat: 44 02 51 N East Long: 109 45 22 W West Long: 111 14 35 W

Latitude and Longitude within Fire Perimeter: Magpie Lat: 44 37 06 N Long: 110 43 18 W Stinky 44 47 16 N 110 03 13 W

Fire Perimeter: Digitized from the Landsat imagery

For further information on NLAPS and Landsat TM data, please refer to the metadata documentation found on the USGS Clearinghouse website at: http://www.fgdc.gov/clearinghouse/clearinghouse.html

Product List:

stmp06b_pretm.tif

August/2003 Pre-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

stmp06b_postm.tif

July/2007 Post-Fire Landsat data subset (bands 1-5,7 Geo-TIFF format)

stmp06b_dnbr

Differenced Normalized Burn Ratio (DNBR) subset (16 bit ArcInfo GRID)

stmp06b_pi

Fire Perimeter (shape file)

stmp06b_hist.xls

DNBR pixel count within the fire perimeter (excel file)

d382908030707

08/03 - 07/07 Full Scene DNBR (16 bit ArcInfo GRID)

Also See the Burn Severity Website:

http://burnseverity.cr.usgs.gov/fire_main.asp

Time_Period_of_Content:

Time_Period_Information:

Multiple_Dates/Times:

Single Date/Time:

Calendar_Date: 20030801 (pre-fire image)

Single_Date/Time:

Calendar_Date: 20060717 (date Magpie fire began)

Single_Date/Time:

Calendar_Date: 20060815 (date Stinky fire began)

Single_Date/Time:

Calendar_Date: 20070711 (post-fire image) Currentness_Reference: ground condition

```
Status:
```

Progress: Complete

Maintenance_and_Update_Frequency: as needed

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -111.14.35 East_Bounding_Coordinate: -109.45.22 North_Bounding_Coordinate: 45.10.33 South_Bounding_Coordinate: 44.02.51

Keywords:

Theme:

Theme_Keyword_Thesaurus: none Theme_Keyword: burn mapping Theme_Keyword: imagery Theme_Keyword: fire

Theme_Keyword: Landsat

Theme_Keyword: National Park Service

Place:

Place_Keyword_Thesaurus: none

Place_Keyword: Yellowstone National Park

Place_Keyword: Magpie Place_Keyword: Stinky Place_Keyword: Wyoming

Access_Constraints: FTP data sets are available to any user.

Use_Constraints: There are no restrictions on use, except for reasonable and proper acknowledgement of information sources.

Point_of_Contact:

Contact_Information:

+001 605-594-6151 or (USA) 800-252-4547

Contact_Organization_Primary:

Contact_Organization: U.S. Geological Survey

Contact_Position: CSR

Contact_Voice_Telephone: +001 605-594-6151

Contact_Address:

Address_Type: physical and mailing address

Address: 47914 252nd Street

City: Sioux Falls State_or_Province: SD Postal_Code: 57198-0001

Country: USA

Contact_TDD/TTY_Telephone: +001 605-594-6933 Contact_Voice_Telephone: +001 605-594-6151 Contact_Facsimile_Telephone: +001 605-594-6589 Contact_Electronic_Mail_Address: fsedc@usgs.gov Hours_of_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact_Instructions: http://edc2.usgs.gov/fsp/severity/contact_us.asp

Data_Set_Credit: USGS and NASA

Native_Data_Set_Environment: Oracle, ERDAS Imagine, & ArcInfo

Data_Quality_Information:

Attribute Accuracy:

Attribute_Accuracy_Report:

Three on-board calibrators (two solar, one internal) provide an absolute accuracy of 5 percent, excluding band 6.

Logical_Consistency_Report:

These Landsat data are collected from a nominal altitude of 705 kilometers in a near-polar, near-circular, sun-synchronous orbit at an inclination of 98.2 degrees, imaging the same 183-km swath of Earth's surface every 16 days.

The pixels representing the bands for the image are in the data set only once.

Completeness_Report: Fire perimeter was automated, (seed value 425, distance 325) with manual edits.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Energy reflected from Earth's surface passes through a whisk-broom scanning system and all-reflective optics before being collected by the solid-state detectors at the focal plane.

Lineage:

Process_Step:

Process_Description:

These data products are derived from Landsat Thematic Mapper data.

A pre-fire scene and a post-fire scene are analyzed to create a

Differenced Normalized Burn Ratio (DNBR) image. The DNBR image portrays the variations of burn severity within the fire.

the variations of burn severity within the fire.

The Landsat images are terrain corrected and geometrically rectified to an Albers Conical Equal Area map projection using the National Landsat Archive Production System (NLAPS). The images are further processed to convert bands 1-5 and 7 to at-satellite-reflectance. The Normalized Burn Ratio (NBR) is computed for each date of imagery using the following formula:

(Band 4 - Band 7) / (Band 4 + Band 7) = NBR

The differenced NBR is computed by subtracting the post-fire NBR from the pre-fire NBR:

PreNBR - PostNBR = DNBR

Higher DNBR values are correlated with more severe burns. The DNBR image is evaluated to determine the threshold value between burned and unburned areas. The perimeter of the fire is delineated using the DNBR image. The DNBR image, the pre-fire and post-fire TM images, and a fire perimeter vector file are provided in digital format in the map projection used by the National Park Service.

Source_Used_Citation_Abbreviation: TM

Process_Date: 200707

Source_Produced_Citation_Abbreviation: DNBR

Cloud_Cover: 10

Distribution_Information:

Distributor:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: U.S. Geological Survey

Contact_Position: Principal Scientist

```
Land Cover Applications
  Contact Address:
   Address_Type: mailing and physical address
   Address:
    47914 252nd Street
    USGS EROS
   City: Sioux Falls
   State_or_Province: SD
   Postal_Code: 57198-0001
   Country: USA
  Contact_Voice_Telephone: +001 605-594-6151
  Contact_TDD/TTY_Telephone: +001 605 594-6933
  Contact_Facsimile_Telephone: +001 605 594-6589
  Contact_Electronic_Mail_Address: fsedc@usgs.gov
  Hours_of_Service: 0800 - 1600 CT, M-F, -6 h GMT
  Contact_Instructions: http://edc2.usgs.gov/fsp/severity/contact_us.asp
Distribution_Liability:
 No warranty expressed or implied is made by the USGS regarding the use
 of the data, nor does the act of distribution constitute any such warranty.
Standard_Order_Process:
 Digital_Form:
  Digital_Transfer_Information:
   Format_Name: Geo-TIFF
   Format_Version_Number: 1
  Digital_Transfer_Option:
   Online_Option:
    Computer_Contact_Information:
     Network Address:
      Network_Resource_Name: http://edc2.usgs.gov/fsp/severity/download_data.asp
 Digital_Form:
  Digital_Transfer_Information:
   Format Name: DNBR ArcInfo GRID
   Format_Version_Number: 1
  Digital_Transfer_Option:
   Online_Option:
    Computer_Contact_Information:
     Network_Address:
      Network Resource Name: http://edc2.usgs.gov/fsp/severity/download data.asp
 Digital_Form:
  Digital_Transfer_Information:
   Format_Name: shape file
   Format Version Number: 1
  Digital_Transfer_Option:
   Online_Option:
    Computer_Contact_Information:
     Network_Address:
      Network_Resource_Name: http://edc2.usgs.gov/fsp/severity/download_data.asp
Fees: No charge
Ordering Instructions: http://edc2.usgs.gov/fsp/severity/help.asp#ordering
 Turnaround: same day
```

Metadata_Reference_Information:

Metadata Date: 20070731

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization:

USGS EROS

Science & Applications Branch

Contact_Position:

Principal Scientist

Land Cover Applications

Contact_Address:

Address_Type: mailing and physical address

Address:

47914 252nd Street

USGS EROS

City: Sioux Falls

State_or_Province: SD Postal_Code: 57198-0001

Country: USA

Contact_Voice_Telephone: +001 605-594-6151 Contact_TDD/TTY_Telephone: +001 605-594-6933 Contact_Facsimile_Telephone: +001 605-594-6589 Contact_Electronic_Mail_Address: fsedc@usgs.gov Hours_of_Service: 0800 - 1600 CT, M-F, -6 h GMT

Contact_Instructions: http://edc2.usgs.gov/fsp/severity/contact_us.asp Metadata_Standard_Name: Content Standard for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Access_Constraints: none Metadata_Use_Constraints: none